



Department of Biological and Environmental Sciences

2022:

Abarenkov K, Kristiansson E, Ryberg M, Nogal-Prata S, Gomez-Martinez D, Stuer-Patowsky K, et al. The curse of the uncultured fungus. MycoKeys. 2022;86:177-94. DOI:10.3897/mycokeys.86.76053

Advay M, Rix M, Tekşen M. *Fritillaria kordestanica* (Liliaceae), a new species from western Iran. Phytotaxa. 2022;554(1):70-6. DOI:0.11646/phytotaxa.554.1.5

Afonin A, Baranova O, Senator S, Fedorova Y, Abramova L, Prokhorov V, et al. Distribution and naturalization of *Ambrosia trifida* (Asteraceae) on the European territory of Russia. Botanicheskiy Zhurnal. 2022;107:350-9. DOI:10.31857/S0006813622020028

Akulov OY. СУЧАСНИЙ СТАН ВИВЧЕНОСТІ ГРИБІВ РОДУ ТИРОНЕКТРІЇ В УКРАЇНІ: ПЕВІЗІЯ ДАНИХ З ГЕРБАРІЇВ ТА ЛІТЕРАТУРИ. Біорізноманіття, екологія та експериментальна біологія. 2022;24(2):6-12. DOI:10.34142/2708-5848.2022.24.2.01

Alban DM, Biersma EM, Kadereit JW, Dillenberger MS. Colonization of the Southern Hemisphere by *Sagina* and *Colobanthus* (Caryophyllaceae). Plant Systematics and Evolution. 2022;308(1). DOI:10.1007/s00606-021-01793-w

Alm Rosenblad M, Larsson E, Walker A, Thongklang N, Wurzbacher C, Nilsson RH. Evidence for further non-coding RNA genes in the fungal rDNA region. MycoKeys. 2022;90:203-13.

Amaral DT, Bonatelli IAS, Romeiro-Brito M, Moraes EM, Franco FF. Spatial patterns of evolutionary diversity in Cactaceae show low ecological representation within protected areas. Biological Conservation. 2022;273. DOI:8. Amoo M, Salzmann U, Pound MJ, Thompson N, Bijl PK. Eocene to Oligocene vegetation and climate in the Tasmanian Gateway region were controlled by changes in ocean currents and CO₂. Climate of the Past. 2022;18(3):525-46. DOI:10.5194/cp-18-525-2022

Anibaba QA, Dyderski MK, Jagodzinski AM. Predicted range shifts of invasive giant hogweed (*Heracleum mantegazzianum*) in Europe. Sci Total Environ. 2022;825:154053. DOI:10.1016/j.scitotenv.2022.154053

Arnell M, Eriksson O. Landscape-scale range filling and dispersal limitation of woody plants. *Journal of Biogeography*. 2022;49(11):2028-36. DOI:10.1111/jbi.14485

Baltensperger AP, Hagelin JC, Schuette PA, Droghini A, Ott K. High dietary and habitat diversity indicate generalist behaviors of northern bog lemmings *Synaptomys borealis* in Alaska, USA. *Endangered Species Research*. 2022;49:145-58. DOI:10.3354/esr01211

Banerjee AK, Feng H, Lin Y, Liang X, Wang J, Huang Y. Setting the priorities straight - Species distribution models assist to prioritize conservation targets for the mangroves. *Sci Total Environ.* 2022;806(Pt 4):150937. DOI:10.1016/j.scitotenv.2021.150937

Bazzicalupo A, Gonçalves SC, Hébert R, Jakob S, Justo A, Kernaghan G, et al. Macrofungal conservation in Canada and target species for assessment: a starting point. *Facets*. 2022;7(1):448-63.

Betancourt L, Herrera-Moreno A. Segundo inventario taxonómico de las macroalgas marinas bentónicas (*Ochrophyta*, *Rhodophyta* y *Chlorophyta*) de la isla Hispaniola. . Reporte de Investigación del Programa EcoMar. 2022:1-40.

Bezsmertna O, Hleb R, Orlov O, Vasheniak I, Podpriatov O, Kvakovska I, et al. The genus Woodsia R. Br. in Ukraine (Woodsiaceae). *Thaiszia - Journal of Botany*. 2022;32(1). DOI:10.33542/tjb2022-1-03

Borgelt J, Dorber M, Hoiberg MA, Verones F. More than half of data deficient species predicted to be threatened by extinction. *Commun Biol.* 2022;5(1):679. DOI:10.1038/s42003-022-03638-9

Boyko JD, Hagen ER, Beaulieu JM, Vasconcelos T. Long-term responses of life-history strategies to climatic variability in flowering plants. *bioRxiv*. 2022. DOI:10.1101/2022.10.19.512857

Brightly WH. The evolutionary consequences of habitat change in grasses 2022.

Bywater-Reyes S, Diehl RM, Wilcox AC, Stella JC, Kui L. A Green New Balance: Interactions among riparian vegetation plant traits and morphodynamics in alluvial rivers. *Earth Surface Processes and Landforms*. 2022;47(10):2410-36. DOI:10.1002/esp.5385

Camargo AM, Kurose D, Post MJC, Lommen STE. A new population of the biocontrol agent performs best on the hybrid host *Reynoutria x bohemica*. *Biological Control*. 2022;174. DOI:10.1016/j.biocontrol.2022.105007

Canales NA, Perez-Escobar OA, Powell RF, Topel M, Kidner C, Nesbitt M, et al. A highly contiguous, scaffold-level nuclear genome assembly for the fever tree (*Cinchona pubescens* Vahl) as a novel resource for Rubiaceae research. *GigaByte*. 2022;2022:gigabyte71. DOI:10.46471/gigabyte.71

Chauvier Y, Descombes P, Guéguen M, Bou langeat L, Thuiller W, Zimmermann NE. Resolution in species distribution models shapes spatial patterns of plant multifaceted diversity. *Ecography*. 2022;2022(10). DOI:10.1111/ecog.05973

Chevalier M. An R package to perform probabilistic climate reconstructions from palaeoecological datasets. *Climate of the Past*. 2022;18(4):821-44. DOI:10.5194/cp-18-821-2022

Chu R, Xu X, Lu Z, Ma Y, Cheng H, Zhu S, et al. Plastome-based phylogeny and biogeography of *Lactuca* L. (Asteraceae) support revised lettuce gene pool categories. *Front Plant Sci*. 2022;13:978417. DOI:10.3389/fpls.2022.978417

Chvilkov VS, Khudych AS, Akulov OY, Zinenko OI. Revision of some specimens of the genus *Tulostoma* (Agaricaceae) from Ukraine, deposited in the Herbarium of V.N. Karazin National University of Kharkiv (CWU). *Ukrainian Botanical Journal*. 2022;79(2):84-90. DOI:10.15407/ukrbotj79.02.084

Cooper JA, Nuytinck J, Lebel T. Confirming the presence of some introduced Russulaceae species in Australia and New Zealand. *Swainsona* 2022.

Cornejo X. Estudios Botánicos en la costa de Ecuador 16(2). *Revista Científica Ciencias Naturales y Ambientales*. 2022;16(2).

Cornejo X, Kuethe JR. (Passifloraceae): a new species of wild passion fruit from coastal Ecuador. *Nordic Journal of Botany*. 2022;2022(9):e03711. DOI:10.1111/njb.03711

Couvreur TLP, Cornejo X, Zapata JN, Loor A. Two new magnoliid tree species from Manabi, western Ecuador. *Blumea*. 2022;67(2):97-108. DOI:10.3767/blumea.2022.67.02.02

Crous PW, Boers J, Holdom D, Osieck ER, Steinrucken T, Tan YP, et al. Fungal Planet description sheets: 1383-1435. *Persoonia*. 2022;48(1):261-371. DOI:10.3767/persoonia.2022.48.08

D'hondt B, Hillaert J, Devisscher S, Adriaens T. Een kader voor de aanpak van invasieve uitheemse soorten in Vlaanderen. *Rapporten van*

het Instituut voor Natuur- en Bosonderzoek 2022. 2022.
DOI:10.21436/inbor.88096226

Daco L, Matthies D, Hermant S, Colling G. Genetic diversity and differentiation of populations of *Anthyllis vulneraria* along elevational and latitudinal gradients. *Ecol Evol.* 2022;12(8):e9167.
DOI:10.1002/ece3.9167

Damasco G, Anhalt M, Perdiz RO, Wittmann F, de Assis RL, Schöngart J, et al. Certification of açaí agroforestry increases the conservation potential of the Amazonian tree flora. *Agroforestry Systems.* 2022:1-10.

Damian A, Hagsater E, Mitidieri N. A new Peruvian species of *Epidendrum* (Laeliinae: Orchidaceae) belonging to the *Epidendrum incomptum* group. *Phytotaxa.* 2022;552(1):99-106.
DOI:10.11646/phytotaxa.552.1.9

Dantas VL, Pausas JG. The legacy of the extinct Neotropical megafauna on plants and biomes. *Nat Commun.* 2022;13(1):129.
DOI:10.1038/s41467-021-27749-9

de Lima Ferreira P, Batista R, Andermann T, Groppo M, Bacon CD, Antonelli A. Target sequence capture of Barnadesioideae (Compositae) demonstrates the utility of low coverage loci in phylogenomic analyses. *Molecular Phylogenetics and Evolution.* 2022;169:107432.

de Sousa Lira CR, dos Santos Chikowski R, de Lima VX, Gibertoni TB, Larsson K-H. *Allophlebia*, a new genus to accomodate *Phlebia ludoviciana* (Agaricomycetes, Polyporales). *Mycological Progress.* 2022;21(4):47.

de Souza AA, Ortiz BLS, Borges SF, Pinto AVP, Ramos RdS, Pena IC, et al. Acute toxicity and anti-inflammatory activity of *Trattinnickia rhoifolia* Willd (Sucuruba) using the Zebrafish model. *Molecules.* 2022;27(22):7741.

DECKER LL-D. PREDICTING THE SPATIAL DISTRIBUTION OF MEDICINAL AND AROMATIC PLANTS AND THEIR ASSEMBLAGES IN THE ALPINE REGION 2022.

Dellinger AS, Paun O, Baar J, Temsch EM, Fernandez-Fernandez D, Schonenberger J. Population structure in Neotropical plants: Integrating pollination biology, topography and climatic niches. *Mol Ecol.* 2022;31(8):2264-80. DOI:10.1111/mec.16403

Delprete PG. Monograph of tribe Sipaneeae (Rubiaceae, Ixoroideae). A Neotropical group with its center of diversity on the Guiana Shield. . *Webbia*. 2022;77(1):1-284. DOI:10.36253/jopt-13963

Diazgranados M, Kor L. Notes on the geographic distribution of the useful plants of Colombia. Catalogue of Useful Plants of Colombia2022.

Dima B. Contributions to the revision of the genus *Entoloma* (Basidiomycota, Agaricales) in Europe: six new species from subgenus *Cyanula* and typification of *E. incarnatofuscescens*. *Fungal Systematics and Evolution*. 2022;9(1):87-97.

Ding W, Li H, Wen J. Response of the invasive plant *Ailanthus altissima* (Mill.) Swingle and its two important natural enemies (*Eucryptorrhynchus scrobiculatus* (Motschulsky) and *E. brandti* (Harold)) to climate change. *Ecological Indicators*. 2022;143. DOI:10.1016/j.ecolind.2022.109408

Divíšek J, Večeřa M, Welk E, Danihelka J, Chytrý K, Douda J, et al. Origin of the central European steppe flora: insights from palaeodistribution modelling and migration simulations. *Ecography*. 2022;2022(12). DOI:10.1111/ecog.06293

Drummond CP, Cochrane TS, Sytsma KJ. Western North American Plants Disjunct in the Great Lakes Region: 40 Years after Marquis and Voss. *International Journal of Plant Sciences*. 2022. DOI:10.1086/721653

Esteve-Raventós F, Pancorbo F, Larsson E, Turégano Y, Moreno G, Altes A. *Inocybe vaurasii* (Agaricales, Inocybaceae), a new species of the *I. xanthomelas* group and similar European species with asteriform spores *Phytotaxa*. 2022;566:171-88.

Etherington TR, Peltzer DA, Wyse S. Future climates are predicted to alter the potential distributions of non-native conifer species in New Zealand. *New Zealand Journal of Ecology*. 2022;46(1). DOI:10.20417/nzjecol.46.14

Ferguson-Gow H, Nicholas O, Outhwaite C, Green R, Scheelbeek P, Eustachio Colombo P, et al. Potential for positive biodiversity outcomes under diet-driven land use change in Great Britain. *Wellcome Open Res*. 2022;7:147. DOI:10.12688/wellcomeopenres.17698.2

Ferguson-Gow H, Nicholas O, Outhwaite C, Green R, Scheelbeek P, Eustachio Colombo P, et al. Potential for positive biodiversity outcomes under diet-driven land use change in Great Britain. *Wellcome Open Res*. 2022;7:147. DOI:10.12688/wellcomeopenres.17698.2

Ferm J, Ståhl B. A Revised Subgeneric Classification of the Neotropical Genus *< i>Zapoteca</i>* (Caesalpinioideae; Fabaceae). Systematic Botany. 2022;47(1):208-14, 7.

Filartiga AL, Klimes A, Altman J, Nobis MP, Crivellaro A, Schweingruber F, et al. Comparative anatomy of leaf petioles in temperate trees and shrubs: the role of plant size, environment and phylogeny. Ann Bot. 2022;129(5):567-82. DOI:10.1093/aob/mcac014

Frankel L, Murúa M, Espíndola A. Biogeography and ecological drivers of evolution in the Andes: resolving the phylogenetic backbone for Calceolaria (Calceolariaceae). Botanical Journal of the Linnean Society. 2022;199(1):76-92. DOI:10.1093/botlinnean/boab079

Freimuth J, Bossdorf O, Scheepens JF, Willems FM. Climate warming changes synchrony of plants and pollinators. Proc Biol Sci. 2022;289(1971):20212142. DOI:10.1098/rspb.2021.2142

Gallego MT, Cano MJ, Jiménez JA, Guerra J. Circumscription and Phylogenetic Position of Two Propagulose Species of Syntrichia (Pottiaceae, Bryophyta) Reveals Minor Realignments within the Tribe Syntricheae. Plants. 2022;11(5):626.

Ganglo JC. Will Africa meet the challenge of biodiversity conservation in the digital age? Research Square. 2022. DOI:10.21203/rs.3.rs-2187785/v1

Gil-López MJ, Segarra-Moragues JG, Casimiro-Soriguer R, Ojeda F. From the Strait of Gibraltar to northern Europe: Pleistocene refugia and biogeographic history of heather (*Calluna vulgaris*, Ericaceae). Botanical Journal of the Linnean Society. 2022;198(1):41-56. DOI:10.1093/botlinnean/boab043

González F, Monzón-Sierra J. An updated synopsis of Aristolochia (Aristolochiaceae) in Guatemala. Brittonia. 2022;74(3):239-64. DOI:10.1007/s12228-022-09704-0

Gori B, Ulian T, Bernal HY, Diazgranados M. Understanding the diversity and biogeography of Colombian edible plants. Sci Rep. 2022;12(1):7835. DOI:10.1038/s41598-022-11600-2

Gustafsson C, Holston K. Herbarium GB, University of Gothenburg. Version 1.7. University of Gothenburg. Occurrence dataset. 2022.

Hallman C, Olsson O, Tyler T. Changes in south-Swedish vegetation composition over the last 200 years as described by species-specific indicator and trait values and documented by museum and

literature records. Ecological Indicators. 2022;134:108486.
DOI:<https://doi.org/10.1016/j.ecolind.2021.108486>

Hammel BE, Grayum MH. Ten new species of *Dicranopygium* (Cyclanthaceae) from Costa Rica and Panama. Phytoneuron. 2022;2022-62:1-31.

Henniges MC, Powell RF, Mian S, Stace CA, Walker KJ, Gornall RJ, et al. A taxonomic, genetic and ecological data resource for the vascular plants of Britain and Ireland. Scientific Data. 2022;9(1):1.

Heo N, Lomolino MV, Watkins JE, Jr, Yun S, Weber-Townsend J, Fernando DD. Evolutionary history of the *Asplenium scolopendrium* complex (Aspleniaceae), a relictual fern with a northern pan-temperate disjunct distribution. Biological Journal of the Linnean Society. 2022;137(2):183-99. DOI:10.1093/biolinnean/blac080

Assessment and update of data on marine macroalgae in Hispaniola (BID-CA2020-012-INS) [Internet]. 2022. Available from: <https://www.gbif.org/project/BID-CA2020-012-INS/assessment-and-update-of-data-on-marine-macroalgae-in-hispaniola>.

Herrera-Moreno A. Assessment and update of GBIF marine macroalgae databases (Rhodophyta, Ochrophyta and Chlorophyta) from Haiti and Dominican Republic (Hispaniola). 2022.

Herrera-Moreno A, Betancourt Fernández L. Premier inventaire taxonomique des macroalgues marines benthiques (Ochrophyta, Rhodophyta et Chlorophyta) d'Haïti. 2022.

Hoorn C, Kukla T, Bogotá-Angel G, van Soelen E, González-Arango C, Wesselingh FP, et al. Cyclic sediment deposition by orbital forcing in the Miocene wetland of western Amazonia? New insights from a multidisciplinary approach. Global and Planetary Change. 2022;210. DOI:10.1016/j.gloplacha.2021.103717

Jaramillo-Riofrío A, Decock C, Suárez JP, Benítez Á, Castillo G, Cruz D. Screening of Antibacterial Activity of Some Resupinate Fungi, Reveal *Gloeocystidiellum lojanense* sp. nov. (Russulales) against *E. coli* from Ecuador. Journal of Fungi. 2022;9(1):54.

Johansson N. Molecular and morphological identity of foliose monostromatic green algae in the. Ecology. 2022;2019(2021).

Kendig AE, Canavan S, Anderson PJ, Flory SL, Gettys LA, Gordon DR, et al. Scanning the horizon for invasive plant threats using a data-driven approach. Neobiota. 2022;74:129-54.
DOI:10.3897/neobiota.74.83312

Khrapov D, Koval N, Yunakov N. Prediction of the distribution limits of *Rhinomias forticornis* (Boheman, 1842) (Coleoptera: Curculionidae: Entiminae) based on Remote Sensing. Journal of Insect Biodiversity. 2022;31(1):19-35. DOI:10.12976/jib/2022.31.1.3

Kim S, Sales L, Carreira D, Galetti M. Frugivore distributions are associated with plant dispersal syndrome diversity in the Caribbean archipelagos. Diversity and Distributions. 2022;28(12):2521-33. DOI:10.1111/ddi.13503

Kinosian SP, Wolf PG. The biology of *C. richardii* as a tool to understand plant evolution. eLife. 2022;11. DOI:10.7554/eLife.75019

Klimes A, Simová I, Zizka A, Antonelli A, Herben T. The ecological drivers of growth form evolution in flowering plants. Journal of Ecology. 2022;110(7):1525-36. DOI:10.1111/1365-2745.13888

Kor L, Lopez-Gallego C, Castellanos-Castro C, Diazgranados M. Assessing extinction risk coverage and identifying geographical hotspots to guide conservation action for Colombia's useful plants. Catalogue of Useful Plants of Colombia2022.

Kroonen G, Jakob A, Palmer AI, van Sluis P, Wigman A. Indo-European cereal terminology suggests a Northwest Pontic homeland for the core Indo-European languages. PLoS One. 2022;17(10):e0275744. DOI:10.1371/journal.pone.0275744

Kulak V, Longboat S, Brunet N, Shukla M, Saxena P. In Vitro Technology in Plant Conservation: Relevance to Biocultural Diversity. Plants 2022, 11, 503. s Note: MDPI stays neutral with regard to jurisdictional claims in published ...; 2022.

Kulak V, Longboat S, Brunet ND, Shukla M, Saxena P. In vitro technology in plant conservation: Relevance to biocultural diversity. Plants. 2022;11(4):503.

Kuo CC, Liu YC, Su Y, Liu HY, Lin CT. Responses of alpine summit vegetation under climate change in the transition zone between subtropical and tropical humid environment. Sci Rep. 2022;12(1):13352. DOI:10.1038/s41598-022-17682-2

Lachenaud O, Bruniera CP, Zappi DC. The *Rudgea hostmanniana* complex (Rubiaceae) in the Guiana Shield region. Phytotaxa. 2022;561(3):219-42.

Lagomarsino LP, Frankel L, Uribe-Convers S, Antonelli A, Muchhal N. Increased resolution in the face of conflict: phylogenomics of the

Neotropical bellflowers (Campanulaceae: Lobelioideae), a rapid plant radiation. *Annals of Botany*. 2022;129(6):723-36.

Langer E, Béťák J, Holec J, Klug A, Riebesehl J. *Kneiffiella altaica* and *Kneiffiella subaltaica* sp. nov.-a rare species found in European old-growth forests and a closely related new species from North America. *Nova Hedwigia*. 2022;115(1-2):205-25.

Lannuzel G, Pouget L, Bruy D, Hequet V, Meyer S, Munzinger J, et al. Mining rare Earth elements: Identifying the plant species most threatened by ore extraction in an insular hotspot. *Frontiers in Ecology and Evolution*. 2022;10. DOI:10.3389/fevo.2022.952439

le Roux MM, Miller JT, Waller J, Doring M, Bruneau A. An expert curated global legume checklist improves the accuracy of occurrence, biodiversity and taxonomic data. *Sci Data*. 2022;9(1):708. DOI:10.1038/s41597-022-01812-6

Lerner D, Fernandez-Martinez M, Livne-Luzon S, Belmaker J, Penuelas J, Klein T. Climatic heterogeneity and low precipitation dictate the global distribution of range-edge hotspots of major tree species. *Research Square*. 2022. DOI:10.21203/rs.3.rs-1590729/v1

Levin GA, Cardinal-McTeague WM, Steinmann VW, Sagun VG. Phylogeny, Classification, and Character Evolution of <i>Acalypha</i> (Euphorbiaceae: Acalyphoideae). *Systematic Botany*. 2022;47(2):477-97, 21.

Liria J. Áreas de endemismo de Ecuador: un análisis a partir de datos de distribución de especies de plantas, animales y hongos. *Revista Mexicana de Biodiversidad*. 2022;93. DOI:10.22201/ib.20078706e.2022.93.4031

Liu J, Milne RI, Zhu G-F, Spicer RA, Wambulwa MC, Wu Z-Y, et al. Name and scale matter: Clarifying the geography of Tibetan Plateau and adjacent mountain regions. *Global and Planetary Change*. 2022;215. DOI:10.1016/j.gloplacha.2022.103893

Liu Q, Zang EH, Wang CC, Liu YC, Niu H, Gao Y, et al. *Dianthi herba*: a comprehensive review of its botany, traditional use, phytochemistry, and pharmacology. *Chin Med*. 2022;17(1):15. DOI:10.1186/s13020-022-00570-2

Liu Z-B, Wu Y-D, Zhao H, Lian Y-P, Wang Y-R, Wang C-G, et al. Outline, Divergence Times, and Phylogenetic Analyses of Trechisporales (Agaricomycetes, Basidiomycota). *Frontiers in Microbiology*. 2022;13. DOI:10.3389/fmicb.2022.818358

Ljungstrand E. Två olika fjädergräs i Västergötland. *Calluna*. 2022;39(4):3-20.

Loaiza-Salazar C. Lista actualizada de las cactáceas del Ecuador Continental: diversidad, distribución y notas sobre su estado de conservación. *CEDAMAZ*. 2022;12:22-44.

Lu L-L, Jiao B-H, Qin F, Xie G, Lu K-Q, Li J-F, et al. Artemisia pollen dataset for exploring the potential ecological indicators in deep time. *Earth System Science Data*. 2022;14(9):3961-95.
DOI:10.5194/essd-14-3961-2022

MacFadyen S, Allsopp N, Altwegg R, Archibald S, Botha J, Bradshaw K, et al. Drowning in data, thirsty for information and starved for understanding: A biodiversity information hub for cooperative environmental monitoring in South Africa. *Biological Conservation*. 2022;274. DOI:10.1016/j.biocon.2022.109736

Mandeville C, Nilsen E, Finstad A. Fine-scale spatial distribution of biodiversity citizen science in a natural area depends on area accessibility and differs from other recreational area use. *EcoEvoRxiv*. 2022. DOI:10.32942/osf.io/rsbax

Mandeville CP, Nilsen EB, Finstad AG. Spatial distribution of biodiversity citizen science in a natural area depends on area accessibility and differs from other recreational area use. *Ecological Solutions and Evidence*. 2022;3(4). DOI:10.1002/2688-8319.12185

Marcer A, Chapman AD, Wieczorek JR, Picó FX, Uribe F, Waller J, et al. Uncertainty matters: ascertaining where specimens in natural history collections come from and its implications for predicting species distributions. *Ecography*. 2022;2022(9).
DOI:10.1111/ecog.06025

Marchin RM, Esperon-Rodriguez M, Tjoelker MG, Ellsworth DS. Crown dieback and mortality of urban trees linked to heatwaves during extreme drought. *Sci Total Environ*. 2022;850:157915.
DOI:10.1016/j.scitotenv.2022.157915

Marcussen T, Ballard HE, Danihelka J, Flores AR, Nicola MV, Watson JM. A Revised Phylogenetic Classification for *Viola* (Violaceae). *Plants* (Basel). 2022;11(17). DOI:10.3390/plants11172224

Mariscal A, Thomas DC, Haffenden A, Manobanda R, Defas W, Angel Chinchoro M, et al. Evidence for alternate stable states in an Ecuadorian Andean cloud forest. *Forests*. 2022;13(6):875.

Melton AE, Galla SJ, Dumaguit CDC, Wojahn JMA, Novak S, Serpe M, et al. Meta-Analysis Reveals Challenges and Gaps for Genome-to-Phenome Research Underpinning Plant Drought Response. *Int J Mol Sci.* 2022;23(20). DOI:10.3390/ijms232012297

Mjøen HE. Resolving the Veratrum in northern Fennoscandia by targeted sequencing 2022.

Moonlight P, Fuentes AF. An updated checklist and key to the species of Bolivian Begonia, including one new species. . *Edinburgh Journal of Botany.* 2022;79:1-66.

Moonlight P, Pérez Á. A NEW SPECIES OF BEGONIA SECT. RUIZOPAVONIA FROM COLOMBIA AND ECUADOR. . *Edinburgh Journal of Botany.* 2022;79:1-9.

Moshobane MC, Olowoyo JO, Kohne S, Middleton L. First record of *Leucanthemum vulgare* (Lam. 1778) (Asterales: Asteraceae), ox-eye daisy in Limpopo province of South Africa. *BioInvasions Records.* 2022.

Muñoz G, Pancorbo F, Turégano Y, Esteve-Raventós F. New species and combinations of *Inocybe* with lilac or violet colours in Europe. *Fungi Iberici.* 2022;2:7-26.

Muñoz G, Parra L, Zamora J. *Cystoagaricus sylvestris*, an ambiguous name to be rejected as synonym of the new combinations *C. lepidotoides* and *C. populinus*. *Fungi Iberici.* 2022;2:55-73.

Nascimbene J, Gheza G, Bilovitz PO, Francesconi L, Hafellner J, Mayrhofer H, et al. A hotspot of lichen diversity and lichenological research in the Alps: the Paneveggio-Pale di San Martino Natural Park (Italy). *MycoKeys.* 2022;94:37-50. DOI:10.3897/mycokeys.94.95858

Nikkel E. Effects of climate change on the habitat suitability of 4 relatively new invasive plant species in the Pacific Northwest 2022. DOI:10.14288/1.0416259

Nogal, Prata, Sandra. Distribución de hongos corticioides: patrones y procesos 2022.

Noordeloos ME, Jansen GM, Jordal JB, Morozova O, Weholt Ø, Brandrud TE, et al. Molecular and morphological diversity in the/Rhombisporum clade of the genus Entoloma with a note on *E. cocles*. *Mycological Progress.* 2022;21(5):48.

Noordeloos ME, Vila J, Jordal JB, Kehlet T, Brandrud TE, Bendiksen E, et al. Contributions to the revision of the genus Entoloma (Basidiomycota, Agaricales) in Europe: six new species from

subgenus Cyanula and typification of *E. incarnatofuscescens*. *Fungal Syst Evol.* 2022;9(1):87-97. DOI:10.3114/fuse.2022.09.06

Noordeloos ME, Vila J, Jordal JB, Kehlet T, Brandrud TE, Bendiksen E, et al. Contributions to the revision of the genus *Entoloma* (Basidiomycota, Agaricales) in Europe: six new species from subgenus Cyanula and typification of *E. incarnatofuscescens*. *Fungal Syst Evol.* 2022;9(1):87-97. DOI:10.3114/fuse.2022.09.06

Nygaard M, Kopatz A, Speed JMD, Martin MD, Presto T, Kleven O, et al. Spatiotemporal monitoring of the rare northern dragonhead (*Dracocephalum ruyschiana*, Lamiaceae) - SNP genotyping and environmental niche modeling herbarium specimens. *Ecol Evol.* 2022;12(8):e9187. DOI:10.1002/ece3.9187

Orlova-Bienkowskaja MJ, Bienkowski AO. Low Heat Availability Could Limit the Potential Spread of the Emerald Ash Borer to Northern Europe (Prognosis Based on Growing Degree Days per Year). *Insects.* 2022;13(1). DOI:10.3390/insects13010052

Ortiz-Moreno ML, Moncada B, Vasco-Palacios AM, de Almeida RF, Gaya E. Fungi in Colombian and international biological collections. Catalogue of Fungi of Colombia; De Almeida, RF, Lücking, R, Vasco-Palacios, AM, Gaya, E, Diazgranados, M, Eds. 2022.

Özhatay FN, Kültür Ş, Gürdal B. Check-list of additional taxa to the supplement of flora of Turkey X. *Istanbul Journal of Pharmacy.* 2022;52(2):226-49.

Parentes JMS, Cavalcanti LdH. Rediscovery of *Hemitrichia leiocarpa* (Trichiales, Myxomycetes) in Brazil. *Rodriguésia.* 2022;73:e02242020.

Paula-Souza J, Lima A, Costa J, Queiroz L. A step out of the chaos: a nomenclatural revision of New World *Copaifera* L. (Fabaceae, Detarieae). *Annals of the Missouri Botanical Garden.* 2022. DOI:10.3417/2022784

Penneckamp DN, Susanna A, Garcia-Jacas N, Rojas G, Mekis L, Stuessy TF, et al. A new species of the endemic genus *Centaurodendron Johow* (Asteraceae, Centaureinae) from Alejandro Selkirk Island, Juan Fernández Archipelago, Chile. *Gayana Botánica.* 2022;79(1):27-36.

Penneckamp DN, Susanna A, Garcia-Jacas N, Rojas G, Mekis L, Stuessy TF, et al. Una nueva especie del género endémico *Centaurodendron Johow* (Asteraceae, Centaureinae) de la isla Alejandro Selkirk, Archipiélago Juan Fernández, Chile. *Gayana Botánica.* 2022;79(1):27-36.

Phukhamsakda C, Nilsson RH, Bhunjun CS, de Farias ARG, Sun YR, Wijesinghe SN, et al. The numbers of fungi: contributions from traditional taxonomic studies and challenges of metabarcoding. *Fungal Diversity*. 2022;114(1):327-86. DOI:10.1007/s13225-022-00502-3

Pitman NCA, White DM, Andino JEG, Couvreur TLP, Fortier RP, Zapata JN, et al. Rediscovery of *Gasteranthus extinctus* L.E.Skog & L.P.Kvist (Gesneriaceae) at multiple sites in western Ecuador. *PhytoKeys*. 2022;194:33-46. DOI:10.3897/phytokeys.194.79638

Poppenwimer T, Mayrose I, DeMalach N. Revising the global biogeography of plant life cycles. *bioRxiv*. 2022. DOI:10.1101/2022.09.13.507878

Prance GT. A synopsis of Neotropical Dichapetalaceae. *Kew Bulletin*. 2022;77(1):147-87. DOI:10.1007/s12225-021-09993-w

Prance GT. A synopsis of the Caryocaraceae. *Rodriguésia*. 2022;73.

Puglielli G, Tordoni E, Humphreys AM, Kalwij JM, Hutchings MJ, Laanisto L. The cold-drought tolerance trade-off in temperate woody plants constrains range size, but not range filling. *bioRxiv*. 2022. DOI:10.1101/2021.07.24.453622

Ramírez F, Sbragaglia V, Soacha K, Coll M, Piera J. Challenges for Marine Ecological Assessments: Completeness of Findable, Accessible, Interoperable, and Reusable Biodiversity Data in European Seas. *Frontiers in Marine Science*. 2022;8. DOI:10.3389/fmars.2021.802235

Ramirez-Villegas J, Khoury CK, Achicanoy HA, Diaz MV, Mendez AC, Sosa CC, et al. State of ex situ conservation of landrace groups of 25 major crops. *Nat Plants*. 2022;8(5):491-9. DOI:10.1038/s41477-022-01144-8

Ridley R. SPECIES DELIMITATION IN GENIPA (RUBIACEAE) USING INTEGRATIVE TAXONOMY 2022.

Ronquillo C, Stropp J, Hortal Jn. tempNorthBryo - mosses occurrences dataset from the temperate region of the north hemisphere. 2022.

Sáez L, Mesbah M, López-Alvarado J, Bacchetta G, El Mokni R, Peruzzi L, et al. Re-establishment of *Silene neglecta* Ten. (Caryophyllaceae) with taxonomic notes on some related taxa. *PhytoKeys*. 2022;195:143.

Salazar CRL. Lista actualizada de las cactáceas del Ecuador Continental: diversidad, distribución y notas sobre su estado de conservación. *CEDAMAZ*. 2022;12(1):22-44.

Sarker U, Lin YP, Oba S, Yoshioka Y, Hoshikawa K. Prospects and potentials of underutilized leafy Amaranths as vegetable use for health-promotion. *Plant Physiol Biochem.* 2022;182:104-23.
DOI:10.1016/j.plaphy.2022.04.011

Scalon V, Paula-Souza J, Lima A, Souza V. A synopsis of the genus *Stryphnodendron* (Fabaceae, Caesalpinioideae, mimosoid clade). *Phytotaxa.* 2022;544(3):\$. DOI:10.11646/phytotaxa.544.3.1

Schärn R, Negri IS, Sundqvist MK, Lokken JO, Bacon CD, Antonelli A, et al. Limited decadal growth of mountain birch saplings has minor impact on surrounding tundra vegetation. *Ecol Evol.* 2022;12(6):e9028. DOI:10.1002/ece3.9028

Scherrer D, Bürgi M, Gessler A, Kessler M, Nobis MP, Wohlgemuth T. Abundance changes of neophytes and native species indicate a thermophilisation and eutrophisation of the Swiss flora during the 20th century. *Ecological Indicators.* 2022;135.
DOI:10.1016/j.ecolind.2022.108558

Schlüter U, Bouvier JW, Guerreiro R, Malisic M, Kontny C, Westhoff P, et al. Brassicaceae display diverse photorespiratory carbon recapturing mechanisms. *bioRxiv.* 2022.
DOI:10.1101/2022.12.22.521581

Schneider JV, Jungcurt T, Cardoso D, Amorim AM, Paule J, Zizka G. Predominantly Eastward Long-Distance Dispersal in Pantropical Ochnaceae Inferred From Ancestral Range Estimation and Phylogenomics. *Frontiers in Ecology and Evolution.* 2022;10.
DOI:10.3389/fevo.2022.813336

Schöngart RLdAJ, Bacon MTPCD, Fine AAPV. Certification of açaí agroforestry increases the conservation potential of the Amazonian tree flora. *Agroforestry Systems.* 2022;2:407-16.

Seaward MR, Amrani S. Checklist of lichens and lichenicolous fungi of Morocco. *Herzogia.* 2022;35(2):564-612.

Seebens H, Kaplan E. DASCO: A workflow to downscale alien species checklists using occurrence records and to re-allocate species distributions across realms. *NeoBiota.* 2022;74:75-91.
DOI:10.3897/neobiota.74.81082

Shiryaev AG, Zmitrovich IV, Bulgakov TS, Shiryaeva OS, Dorofeyeva LM. Global Warming Favors the Development of a Rich and Heterogeneous Mycobiota on Alien Vines in a Boreal City under Continental Climate. *Forests.* 2022;13(2). DOI:10.3390/f13020323

Silva FAd, Kameyama C, Zappi D, Gil AdSB. The genus *Justicia* (Acanthaceae) in the state of Pará, Amazon, Brazil. *Rodriguésia*. 2022;73:e00522020.

Silva SV, Andermann T, Zizka A, Kozlowski G, Silvestro D. Global Estimation and Mapping of the Conservation Status of Tree Species Using Artificial Intelligence. *Front Plant Sci*. 2022;13:839792. DOI:10.3389/fpls.2022.839792

Silva TS, Cota MMT, Borges LM, de Lima AG, Tomazello M, Rando JG. Morphological Studies of *Chamaecrista* sect. *Absus* ser. *Setosae* (Leguminosae) With Emphasis on the *Chamaecrista setosa* Complex, Including a New Species. *Systematic Botany*. 2022;47(4):978-91. DOI:10.1600/036364422x16674053033796

Svensson M, Haugan R, Timdal E, Westberg M, Arup U. The circumscription and phylogenetic position of *Bryonora* (Lecanoraceae, Ascomycota), with two additions to the genus. *Mycologia*. 2022;114(3):516-32. DOI:10.1080/00275514.2022.2037339

Tabasi M, Mehrabian A, Sayadi S, Mostafavi H. Modelling of the Climate Change Impact on the Spatial Distributions of *Crocus* Species in Iran. Available at SSRN 4189889. 2022.

Tan YP, Bishop-Hurley SL, Shivas RG, Cowan DA, Maggs-Kölling G, Maharachchikumbura SS, et al. Fungal Planet description sheets: 1436-1477. *Persoonia-Molecular Phylogeny and Evolution of Fungi*. 2022;49(1):261-350.

TANAKA S, TAKAHASHI S, KIMURA R, SHIMADA S. The tendency of plant species identified in the Republic of Djibouti, in East Africa present in the global biodiversity database. *Journal of Arid Land Studies*. 2022. DOI:10.14976/jals.32.s_19

Tavares A, Assis J, Patrício A, Ferreira R, Cheikh M, Bandeira S, et al. Seagrass connectivity on the west coast of Africa supports the hypothesis of grazer-mediated seed dispersal. *Front. Mar Sci*. 2022;9:809721.

Tavares AI, Assis J, Patrício A, Ferreira R, Cheikh MAS, Bandeira S, et al. Seagrass connectivity on the west coast of Africa supports the hypothesis of grazer-mediated seed dispersal. *Frontiers in Marine Science*. 2022;9:809721.

Tazikeh S, Zendehboudi S, Ghafoori S, Lohi A, Mahinpey N. Algal bioenergy production and utilization: Technologies, challenges, and prospects. *Journal of Environmental Chemical Engineering*. 2022;10(3). DOI:10.1016/j.jece.2022.107863

Tedersoo L, Mikryukov V, Zizka A, Bahram M, Hagh-Doust N, Anslan S, et al. Global patterns in endemicity and vulnerability of soil fungi. *Glob Chang Biol.* 2022;28(22):6696-710. DOI:10.1111/gcb.16398

Tekşen M. Doğadan Herbaryuma: *Fritillaria* L. (Liliaceae). Herbarium Turcicum. 2022;2:1-15.

Thompson N, Salzmann U, López-Quirós A, Bijl PK, Hoem FS, Etourneau J, et al. Vegetation change across the Drake Passage region linked to late Eocene cooling and glacial disturbance after the Eocene-Oligocene transition. *Climate of the Past.* 2022;18(2):209-32. DOI:10.5194/cp-18-209-2022

Tikhomirov NP, Volkova PA, Trávníček P, Kashin AS, Schanzer IA. The poor cousin: Contrasting patterns of intraspecific variation among co-occurring species of *Vaccinium* L. *Flora.* 2022;293. DOI:10.1016/j.flora.2022.152103

Toffelmier E, Beninde J, Shaffer HB. The phylogeny of California, and how it informs setting multispecies conservation priorities. *J Hered.* 2022;113(6):597-603. DOI:10.1093/jhered/esac045

Urbaniak J, Krawczyk R. Discovering the Rare *Tolypella intricata*(Trentepohl ex Roth) Leonh. 1863 (Charales, Charophyceae) in Poland. *Polish Journal of Environmental Studies.* 2022;32(1):833-41. DOI:10.15244/pjoes/152725

Valdespino IA, López CA, Ceballos J, Palacios JM, Slippey T. *Selaginella ophioderma* (Selaginellaceae-Lycopodiophyta), a tropical rainforests new species from the Eastern slopes of the Andes mountains of northwestern South America in Colombia, Ecuador and Peru. *Nordic Journal of Botany.* 2022;2022(3). DOI:<https://doi.org/10.1111/njb.03411>

Visscher AM, Vandelooy F, Fernandez-Pascual E, Perez-Martinez LV, Ulian T, Diazgranados M, et al. Low availability of functional seed trait data from the tropics could negatively affect global macroecological studies, predictive models and plant conservation. *Ann Bot.* 2022;130(6):773-84. DOI:10.1093/aob/mcac130

Vu D, Nilsson RH, Verkley GJ. Dnabarcoder: An open-source software package for analysing and predicting DNA sequence similarity cutoffs for fungal sequence identification. *Molecular Ecology Resources.* 2022;22(7):2793-809.

Walas L, Kedziora W, Ksepko M, Rabska M, Tomaszewski D, Thomas PA, et al. The future of *Viscum album* L. in Europe will be shaped by

temperature and host availability. *Sci Rep.* 2022;12(1):17072.
DOI:10.1038/s41598-022-21532-6

Webb CO, Ickert-Bond SM. Integrating Taxonomic Resources for Alaskan Plants. *Botany* 2022;2022.

Williams CJR, Lunt DJ, Salzmann U, Reichgelt T, Inglis GN, Greenwood DR, et al. African Hydroclimate During the Early Eocene From the DeepMIP Simulations. *Paleoceanogr Paleoclimatol.* 2022;37(5):e2022PA004419. DOI:10.1029/2022PA004419

Wu MX, Huang J, Spicer RA, Li SF, Zhao JG, Deng WYD, et al. The early Oligocene establishment of modern topography and plant diversity on the southeastern margin of the Tibetan Plateau. *Global and Planetary Change*. 2022;214. DOI:10.1016/j.gloplacha.2022.103856

Wu R, Guan JY, Wu JG, Ju XF, An QH, Zheng JH. Predictions Based on Different Climate Change Scenarios: The Habitat of Typical Locust Species Is Shrinking in Kazakhstan and Xinjiang, China. *Insects*. 2022;13(10). DOI:10.3390/insects13100942

Yang X, Qin F, Xue T, Xia C, Gadagkar SR, Yu S. Insights into plant biodiversity conservation in large river valleys in China: A spatial analysis of species and phylogenetic diversity. *Ecol Evol*. 2022;12(5):e8940. DOI:10.1002/ece3.8940

Young SNR, Dunning LT, Liu H, Stevens CJ, Lundgren MR. C4 trees have a broader niche than their close C3 relatives. *J Exp Bot.* 2022;73(10):3189-204. DOI:10.1093/jxb/erac113

Young SNR, Lundgren MR. C4 photosynthesis in Paulownia? A case of inaccurate citations. *Plants, People, Planet.* 2022;5(2):292-303. DOI:10.1002/ppp3.10343

Yousefi M, Kafash A, Nicolaï MPJ. Reptile richness and genetic divergence patterns were shaped by current and past climate in and around the Irano-Anatolian global biodiversity hotspot: Implications for conservation. *Diversity and Distributions*. 2022;28(12):2637-47. DOI:10.1111/ddi.13616

Yu H, Wang T, Skidmore A, Heurich M, Bassler C. 50 Years of Cumulative Open-Source Data Confirm Stable and Robust Biodiversity Distribution Patterns for Macrofungi. *J Fungi (Basel)*. 2022;8(9). DOI:10.3390/jof8090981

Zengeya T, Wilson JF, Katelyn & Fernandez Winzer, Laura & Greve, Michelle & Kumschick, Sabrina & McCulloch-Jones, Emily & Miza, Siyasanga & Roux, Peter & Theart, Marthán & van Wilgen, Brian &

Coetzee, Julie & Cole, Nicholas & Engelbrecht, Whitney & Hill, Martin & Jacobs, Carol & Janion-Scheepers, Charlene & Manyama, Phetole & Mnguni, Themba & Zachariades, Costas. The status of biological invasions and their management in South Africa in 2022. DOI:10.5281/zenodo.8217182

Zhao JG, Li SF, Farnsworth A, Valdes PJ, Reichgelt T, Chen LL, et al. The Paleogene to Neogene climate evolution and driving factors on the Qinghai-Tibetan Plateau. *Science China-Earth Sciences*. 2022;65(7):1339-52. DOI:10.1007/s11430-021-9932-2

Zhong K. Species diversity patterns in the large genus *Begonia* 2022.

2023:

Abarenkov K, Nilsson RH, Larsson KH, Taylor AFS, May TW, Froslev TG, et al. The UNITE database for molecular identification and taxonomic communication of fungi and other eukaryotes: sequences, taxa and classifications reconsidered. *Nucleic Acids Research*. 2023;gkad1039. DOI:10.1093/nar/gkad1039

Adde A, Rey PL, Brun P, Kuelling N, Fopp F, Altermatt F, et al. A high-performance computing pipeline for Nested Species Distribution Modelling. *Ecography*. 2023;2023(6). DOI:10.1111/ecog.06540

Advay M, Tekşen M. *Fritillaria shehbazii* and *F. selenica* (Liliaceae), two new species from Iran. *Nordic Journal of Botany*. 2023;2023(7):e03929. DOI:<https://doi.org/10.1111/njb.03929>

Agarwala KP, Somani S, Raveendran B, Surveswaran S. Molecular phylogeny of *Lepidagathis* sensu lato with notes on its biogeography and subgenus *Lophostachys*. *Research Square*. 2023. DOI:10.21203/rs.3.rs-2990017/v1

Alfonso B, Ortega-Martínez O, Hernández JC, Sansón M, Sangil C, Pereyra RT. Tracing genetic variation of *Gelidium canariense* (Rhodophyta) based on new and historical collections. *Phycologia*. 2023;62(4):383-90.

Amorim PRF, Kubota KSG, Carvalho-Silva M. Trends and gaps in the knowledge of diversity, distribution and conservation of neotropical species of (Piperaceae): a scoping review. *Biodiversity and Conservation*. 2023;32(3):851-66. DOI:10.1007/s10531-023-02551-9

Andersen JC, Elkinton JS. Climate suitability analyses compare the distributions of invasive knotweeds in Europe and North America

with the source localities of their introduced biological control agents. *Ecol Evol.* 2023;13(9):e10494. DOI:10.1002/ece3.10494

Apostolova-Kuzova E, Stoyanov K, Raycheva T, Naimov S. *Crocus speciosus* (Iridaceae) -A New Species for the Bulgarian Flora. *Plants (Basel)*. 2023;12(4). DOI:10.3390/plants12040932

Aymard-Corredor GA. An Updated Synopsis and Key to the Species <i>Monnina</i> in the Venezuelan Flora (Polygalaceae, Polygaleae), Including Two New Records. *Harvard Papers in Botany*. 2023;28(1):15-20, 6.

Bäck D. The *Valeriana officinalis* aggregate in Sweden. A preliminary study 2023.

Baez-Lizarazo MR, K?hler M, Reginato M. A Historical Perspective on the Biogeography of the Pampa Region: Imprints of Time and Origins of Its Flora. *South Brazilian Grasslands* 2023. DOI:10.1007/978-3-031-42580-6_5

Banaticla-Hilario MCN, Altamirano MRB. Conservation of IUCN Threatened Zingiberaceae Species in Tropical Asia: Challenges, Gaps and Opportunities. *Plant Diversity in Biocultural Landscapes* 2023. DOI:10.1007/978-981-19-8649-9_30

Baranow P, Szlachetko D, Kindlmann P. Taxonomic revision of *Sobralia* section Racemosae Brieger (Sobralieae, Orchidaceae). *Frontiers in Ecology and Evolution*. 2023;10. DOI:10.3389/fevo.2022.1058334

Barriera G. Taxonomy and nomenclature of South American Aquifoliaceae I: *Ilex* from Ecuador with the description of two new taxa. *Candollea*. 2023;78(1):53-78.

Beaury EM, Jarnevich CS, Pearse I, Evans AE, Teich N, Engelstad P, et al. Modeling habitat suitability across different levels of invasive plant abundance. *Biological Invasions*. 2023;25(11):3471-83. DOI:10.1007/s10530-023-03118-z

Beech E. *Senegalia tenuifolia*. IUCN Red List of Threatened Species. 2023. DOI:10.2305/IUCN.UK.2023-1.RLTS.T199237605A199982969.en

Benson CW, Sheltra MR, Maughan PJ, Jellen EN, Robbins MD, Bushman BS, et al. Homoeologous evolution of the allotetraploid genome of *Poa annua* L. *BMC Genomics*. 2023;24(1):350. DOI:10.1186/s12864-023-09456-5

Böhnert T, Neumann M, Quandt D, Weigend M. Phylogeny based generic reclassification of *Muscari* sensu lato (Asparagaceae) using plastid and genomic DNA. *Taxon*. 2023;72(2):261-77.

Bondi L, de Paula LFA, Rosado BHP, Porembski S. Demystifying the convergent ecological specialization of desiccation-tolerant vascular plants for water deficit. *Ann Bot.* 2023;131(3):521-31.
DOI:10.1093/aob/mcad005

Bonnamour A, Blake RE, Liebhold AM, Nahrung HF, Roques A, Turner RM, et al. Historical plant introductions predict current insect invasions. *Proc Natl Acad Sci U S A.* 2023;120(24):e2221826120.
DOI:10.1073/pnas.2221826120

Bonnet-Lebrun AS, Sweetlove M, Griffiths HJ, Sumner M, Provoost P, Raymond B, et al. Opportunities and limitations of large open biodiversity occurrence databases in the context of a Marine Ecosystem Assessment of the Southern Ocean. *Frontiers in Marine Science.* 2023;10. DOI:10.3389/fmars.2023.1150603

Boquete MT, Varela Z, Fernández JA, Calleja JA, Branquinho C, Chilà A, et al. Current and historical factors drive variation of reproductive traits in unisexual mosses in Europe: A case study. *Journal of Systematics and Evolution.* 2023;61(1):213-26.
DOI:10.1111/jse.12897

Boyko JD, Hagen ER, Beaulieu JM, Vasconcelos T. The evolutionary responses of life-history strategies to climatic variability in flowering plants. *New Phytol.* 2023;240(4):1587-600.
DOI:10.1111/nph.18971

Brüning-González M, Villagra P, Samaniego H. Biodiversity and Resilience to Tsunamis in Chilean Urban Areas: The Role of Ecoinformatics. *Sustainability.* 2023;15(9). DOI:10.3390/su15097065

Burel T, Helias M, Le Duff M. Range expansion of some non-indigenous seaweeds along the coasts of Brittany-English Channel. *Botanica Marina.* 2023;66(3):151-64.

Byalt V, Orlova L, Potokin A, Egorov A, Byalt A. of the type specimens of vascular and non-vascular plants in the Herbarium of the Borodin of St. Petersburg Forest University (KFTA) 2023.

Cameron FR. Museum Practices and the Posthumanities: Curating for Planetary Habitability: Taylor & Francis; 2023.

Campbell LCE, Kiers ET, Chomicki G. The evolution of plant cultivation by ants. *Trends Plant Sci.* 2023;28(3):271-82.
DOI:10.1016/j.tplants.2022.09.005

Carmona-Higuera MJ, Arango D, Calderón-Caro J, Lopez-Gallego C, Castellanos-Castro C, Vieira-Uribe S, et al. Brink of extinction:

red list of epiphytes of Colombia. Research Square. 2023.
DOI:10.21203/rs.3.rs-2870466/v1

Cássia-Silva C, Sales LP, Hill AP, Collevatti R, Bacon C, Oliveira RS. Uneven patterns of palm species loss due to climate change are not driven by their sexual systems. *Biodiversity and Conservation*. 2023;32(13):4353-69.

Cavanaugh N, Zanne A, Cornwell W. Global Distribution of Vascular Epiphyte Diversity. *EcoEvoRxiv*. 2023. DOI:10.32942/x2j02b

Ccana-Ccapatinta GV, Padilla-Gonzalez GF, Ferreira PL, Monge M, Semir J, Groppo M, et al. High-Resolution Liquid Chromatography-Mass Spectrometry-Based Metabolomics for the Classification of Chuquiraga (Barnadesioideae, Asteraceae): New Phenylpropanoid Derivatives as Chemical Markers for Chuquiraga spinosa. *Journal of natural products*. 2023;86(4):683-93.

Clemente KJE, Thomsen MS. High temperature frequently increases facilitation between aquatic foundation species: A global meta-analysis of interaction experiments between angiosperms, seaweeds and bivalves. *Journal of Ecology*. 2023;111(6):1340-61.
DOI:10.1111/1365-2745.14101

Cobos ME, Nuñez-Penichet C, Campbell PD, Cooper JC, Machado-Stredel F, Barve N, et al. Effects of occurrence data density on conservation prioritization strategies. *Biological Conservation*. 2023;284.
DOI:10.1016/j.biocon.2023.110207

Coiro M, Allio R, Mazet N, Seyfullah LJ, Condamine FL. Reconciling fossils with phylogenies reveals the origin and macroevolutionary processes explaining the global cycad biodiversity. *New Phytol*. 2023;240(4):1616-35. DOI:10.1111/nph.19010

Collart F, Broennimann O, Guisan A, Vanderpoorten A. Ecological and biological indicators of the accuracy of species distribution models: lessons from European bryophytes. *Ecography*. 2023;2023(8).
DOI:10.1111/ecog.06721

Cornejo X, Wasshausen D, Exe N, Johnson M. The Reinstatement of *Aphanandrium* (Acanthaceae), a New Species from Ecuador and Four New Combinations. *Harvard Papers in Botany*. 2023;28(1):31-5.

Cornejo X, Wasshausen D, Exe N, Johnson M. The Reinstatement of *<i>Aphanandrium</i>* (Acanthaceae), a New Species from Ecuador and Four New Combinations. *Harvard Papers in Botany*. 2023;28(1):31-6, 6.

Crous PW, Costa MM, Kandemir H, Vermaas M, Vu D, Zhao L, et al. Fungal Planet description sheets: 1550–1613. *Persoonia*. 2023;51(1):280–417. DOI:10.3767/persoonia.2023.51.08

Crous PW, Osieck ER, Shivas RG, Tan YP, Bishop-Hurley SL, Estevez-Raventos F, et al. Fungal Planet description sheets: 1478–1549. *Persoonia*. 2023;50(1):158–310. DOI:10.3767/persoonia.2023.50.05

Cui X, Dai D, Huang C, Wang B, Li S, You C, et al. Climatic conditions affect shoot flammability by influencing flammability-related functional traits in nonfire-prone habitats. *New Phytol*. 2023;240(1):105–13. DOI:10.1111/nph.18905

D. Peterson J, Kasperowski D, Van Der Wal R. Bringing together species observations: A case story of Sweden's biodiversity informatics infrastructures. *Minerva*. 2023;61(2):265–89.

Dalrymple SE, Abeli T, Ewen JG, Gilbert TC, Hogg CJ, Lloyd NA, et al. Addressing Threats and Ecosystem Intactness to Enable Action for Extinct in the Wild Species. *Diversity-Basel*. 2023;15(2). DOI:10.3390/d15020268

Danila J, Alejandro GJ. A global checklist of the genus *Callicarpa* L. (Lamiaceae) in the 21st century. *Acta Manilana*. 2023;71:82–96. DOI:10.53603/actamanil.71.2023.ghvf3468

Daru BH, Rodriguez J. Mass production of unvouchered records fails to represent global biodiversity patterns. *Nat Ecol Evol*. 2023;7(6):816–31. DOI:10.1038/s41559-023-02047-3

David KT, Harrison MC, Opulente DA, LaBella AL, Wolters JF, Zhou X, et al. Saccharomycotina yeasts defy longstanding macroecological patterns. *bioRxiv*. 2023. DOI:10.1101/2023.08.29.555417

de la Barra P, Pereyra PJ, Gastaldi M, Saad JF, Rodriguez EA, Narvarte MA, et al. Intertidal populations of *Ulva* spp. and *Undaria pinnatifida* are good habitat providers for invertebrates but not for fish. *Marine Biology*. 2023;170(8). DOI:10.1007/s00227-023-04238-9

de Melo PHA, Bystriakova N, Lucas E, Monro A. ParseGBIF: An R package for parsing species occurrence records into unique collection events. *Research Square*. 2023. DOI:10.21203/rs.3.rs-3579370/v1

Dellinger AS, Hamilton AM, Wessinger CA, Smith SD. Opposing Patterns of Altitude-Driven Pollinator Turnover in the Tropical and Temperate Americas. *Am Nat*. 2023;202(2):152–65. DOI:10.1086/725017

Dengler J, Jansen F, Chusova O, Hüllbusch E, Nobis MP, Van Meerbeek K, et al. Ecological Indicator Values for Europe (EIVE) 1.0. Vegetation Classification and Survey. 2023;4:7-29. DOI:10.3897/Vcs.98324

Ding L, Li W, Dai Y, Huang X, Sun C-P. Isolation, structural elucidation, and biological evaluation of bioactive products from traditional medicine: Frontiers Media SA; 2023.

E L, J.B J, M J, B D. Artdiversitet av noppingar Entoloma undersläktet Cyanula, i svenska alpina områden baserat på DNA sekvensering. Svensk Mykologisk Tidskrift. 2023:64-84.

Eckert I, Brown A, Caron D, Riva F, Pollock LJ. 30x30 biodiversity gains rely on national coordination. Nat Commun. 2023;14(1):7113. DOI:10.1038/s41467-023-42737-x

ESTEVE-RAVENTÓS F, LARSSON E, PANCORBO F, SCHOLLER M. TYPIFICATION OF INOCYBE OBLECTABILIS F. MACROSPORA, AND ADDITIONAL DATA ON THE PHYLOGENY OF THE TILIAE AND PSEUDOHIULCA GROUPS IN EUROPE. Bol Soc Micol Madrid. 2023;46.

Fagnani ML, Maffi L. Tourism in Natural and Agricultural Ecosystems in the Eighteenth and Nineteenth Centuries: Taylor & Francis; 2023.

Fraga FRdM, Smidt EdC, Braga JMA. Koernickanthe revisited: nomenclatural and taxonomic treatment of a monotypic genus of Marantaceae. Brittonia. 2023;75(1):45-55. DOI:10.1007/s12228-022-09729-5

Franzese J, Ripa RR. Common juniper, an overlooked conifer with high invasion potential in protected areas of Patagonia. Sci Rep. 2023;13(1):9818. DOI:10.1038/s41598-023-37023-1

Freire-Fierro A, Forest F, Devey DS, Pastore JFB, Horn JW, Ge XJ, et al. Monnina (Polygalaceae), a New World monophyletic genus full of contrasts. Botanical Journal of the Linnean Society. 2023;203(3):227-52. DOI:10.1093/botlinnean/boad026

Gabrielle B. Taxonomy and nomenclature of South American Aquifoliaceae I: *Ilex* from Ecuador with the description of two new taxa. Candollea. 2023;78(1):53-78. DOI:10.15553/c2023v781a6

García Criado M, Myers-Smith IH, Bjorkman AD, Normand S, Blach-Overgaard A, Thomas HJ, et al. Plant traits poorly predict winner and loser shrub species in a warming tundra biome. Nature communications. 2023;14(1):3837.

García-Roselló E, González-Dacosta J, Lobo JM. The biased distribution of existing information on biodiversity hinders its use in conservation, and we need an integrative approach to act urgently. *Biological Conservation*. 2023;283. DOI:10.1016/j.biocon.2023.110118

Gavashelishvili A, Chukhua M, Sakhitkhutishvili K, Koptekin D, Somel M. The time and place of origin of South Caucasian languages: insights into past human societies, ecosystems and human population genetics. *Sci Rep.* 2023;13(1):21133. DOI:10.1038/s41598-023-45500-w

Gharde Y, Dubey RP, Singh PK, Mishra JS. Littleseed canarygrass (Retz.) a major weed of rice-wheat system in India is predicted to experience range contraction under future climate. *International Journal of Pest Management*. 2023. DOI:10.1080/09670874.2023.2199258

Gippet JMW, Bates OK, Moulin J, Bertelsmeier C. The global risk of infectious disease emergence from giant land snail invasion and pet trade. *Parasit Vectors*. 2023;16(1):363. DOI:10.1186/s13071-023-06000-y

Giraldo Gomez S. Systematics and the evolution of flower symmetry of Posoqueria (Rubiaceae) 2023.

Goncalves-Dias J, Singh A, Graf C, Stetter MG. Genetic Incompatibilities and Evolutionary Rescue by Wild Relatives Shaped Grain Amaranth Domestication. *Molecular Biology and Evolution*. 2023;40(8). DOI:10.1093/molbev/msad177

Guido A, S?hs RB, Marciniak B, Bergamin RS, Fidelis A. Invasive Alien Species in the Campos Sulinos: Current Status and Future Trends. *South Brazilian Grasslands* 2023. DOI:10.1007/978-3-031-42580-6_19

Haesen S, Lenoir J, Gril E, De Frenne P, Lembrechts J, Kopecký M, et al. Uncovering the hidden niche: incorporating microclimate temperature into species distribution models. *EcoEvoRxiv*. 2023. DOI:10.32942/x21600

Haesen S, Lenoir J, Gril E, De Frenne P, Lembrechts JJ, Kopecký M, et al. Microclimate reveals the true thermal niche of forest plant species. *Ecol Lett.* 2023;26(12):2043-55. DOI:10.1111/ele.14312

Hakkinen H, Hodgson D, Early R. Global terrestrial invasions: Where naturalised birds, mammals, and plants might spread next and what affects this process. *PLoS Biol.* 2023;21(11):e3002361. DOI:10.1371/journal.pbio.3002361

Hamer M, Kgatla M, Petersen B. An assessment of collection specimen data for South African mountain plants and invertebrates.

Transactions of the Royal Society of South Africa. 2023;78(1-2):67-85. DOI:10.1080/0035919x.2023.2200742

Hemming J. Decreases over time in shannon diversity of land snails 2023.

Heo N, Leopold DJ, Lomolino MV, Yun S, Fernando DD. Global and regional drivers of abundance patterns in the hart's tongue fern complex (Aspleniaceae). Ann Bot. 2023;131(5):737-50.
DOI:10.1093/aob/mcac129

Heo N, Yun S, Sloan E. Biogeographic patterns of polyploidy in the spleenwort: bridging divergent perspectives over the evolutionary consequences of polyploidy. Research Square. 2023.
DOI:10.21203/rs.3.rs-3385605/v1

Hernández S, García AG, Arenas F, Escribano MP, Jueterbock A, De Clerck O, et al. Range-edge populations of seaweeds show niche unfilling and poor adaptation to increased temperatures. Journal of Biogeography. 2023;50(4):780-91. DOI:10.1111/jbi.14572

Herrera-R GA, Tedesco PA, DoNascimento C, Jézéquel C, Giam X. Accessibility and appeal jointly bias the inventory of Neotropical freshwater fish fauna. Biological Conservation. 2023;284.
DOI:10.1016/j.biocon.2023.110186

Hirabayashi K, Debnath SC, Owens GL. Unveiling the evolutionary history of lingonberry (*Vaccinium vitis-idaea*L.) through genome sequencing and assembly of European and North American subspecies. bioRxiv. 2023. DOI:10.1101/2023.10.19.563133

Huang TR, Chen JH, Hummer KE, Alice LA, Wang WH, He Y, et al. Phylogeny of Rubus (Rosaceae): Integrating molecular and morphological evidence into an infrageneric revision. Taxon. 2023;72(2):278-306.
DOI:10.1002/tax.12885

Huang TT, Zhang Y, Li S, Griffiths G, Lukac M, Zhao HY, et al. Harnessing machine learning for landscape character management in a shallow relief region of China. Landscape Research. 2023;48(8):1019-40. DOI:10.1080/01426397.2023.2241390

Hyde KD, Abdel-Wahab MA, Abdollahzadeh J, Abeywickrama PD, Absalan S, Afshari N, et al. Global consortium for the classification of fungi and fungus-like taxa. Mycosphere. 2023;14(1):1960-2012.
DOI:10.5943/mycosphere/14/1/23

Inglis PW, Cavalcanti TB, Facco MG, Bakker FT, Graham SA. A comprehensive genus-level phylogeny and biogeographical history of

the Lythraceae based on whole plastome sequences. Ann Bot. 2023;132(2):293-318. DOI:10.1093/aob/mcad091

Ishengoma E. Vertebrate genomics and adaptation - Status and prospects in Africa. Mol Ecol. 2023;32(13):3368-81. DOI:10.1111/mec.16936

Jafari F, Keshavarzi M, Doostmohammadi M, Mirtadzadini M. Two new chasmophytic species of *Silene* (Caryophyllaceae, sect. Siphonomorpha) from Iran. European Journal of Taxonomy. 2023;860(1):42-61. DOI:10.5852/ejt.2023.860.2049

Jenkins GB, Beckerman AP, Bellard C, Benítez-López A, Ellison AM, Foote CG, et al. Reproducibility in ecology and evolution: Minimum standards for data and code. Ecology and Evolution. 2023;13(5):e9961.

Jeppson M, Larsson E. Gelé- och slemtryfflar i Norden. Svensk Mykologisk Tidskrift 2023:55-63.

Jeppson M, Larsson E. Hjorttryfflar - løpekuler i Norge och Sverige. Funga. 2023:80-110.

Jiménez-López DA, Carmona-Higuita MJ, Mendieta-Leiva G, Martínez-Camilo R, Espejo-Serna A, Krömer T, et al. Linking different resources to recognize vascular epiphyte richness and distribution in a mountain system in southeastern Mexico. Flora. 2023;302. DOI:10.1016/j.flora.2023.152261

Johnson KR, Owens IFP, Global Collection G. A global approach for natural history museum collections. Science. 2023;379(6638):1192-4. DOI:10.1126/science.adf6434

Juozaityienė R, Seebens H, Latombe G, Essl F, Wit EC. Analysing ecological dynamics with relational event models: The case of biological invasions. Diversity and Distributions. 2023;29(10):1208-25. DOI:10.1111/ddi.13752

Kagnew B, Assefa A, Degu A. Modeling the Impact of Climate Change on Sustainable Production of Two Legumes Important Economically and for Food Security: Mungbeans and Cowpeas in Ethiopia. Sustainability. 2023;15(1). DOI:10.3390/su15010600

Kainulainen K. A taxonomic revision of the Malagasy endemic genus *Nematostylis* (Rubiaceae), with description of two new species. Candollea. 2023;78(2):177-88. DOI:10.15553/c2023v782a9

Kainulainen K, Sjöman H, Aldén B. *Sorbus erythrosepala* Kainul., Sjöman, Aldén, sp. nov. (Rosaceae), a new rowan from Yunnan, China. Adansonia. 2023;45(21):337-42.

Kainulainen K, Sjöman H, Aldén B. *Sorbus erythrosepala* Kainul., Sjöman, Aldén, sp. nov. (Rosaceae), a new rowan from Yunnan, China. Adansonia. 2023;45(21):337-42. DOI:10.5252/adansonia2023v45a21

Kalinina LB, Ageev D, Bulyonkova TM. (Agaricales, Basidiomycota), from Southwestern Siberia, Russia. Phytotaxa. 2023;600(5):272-80. DOI:10.11646/phytotaxa.600.5.2

Kessous IM, Freitas L. Implementing spatial analyses to measure angiosperm biodiversity from the high-altitude grasslands of the Atlantic forest. Alpine Botany. 2023;133(2):163-78. DOI:10.1007/s00035-023-00298-1

Kim S, Koop A, Fowler G, Israel K, Takeuchi Y, Lieurance D. Addition of finer scale data and uncertainty analysis increases precision of geospatial suitability model for non-native plants in the US. Ecological Modelling. 2023;484. DOI:10.1016/j.ecolmodel.2023.110458

Kindt R. TreeGOER: A database with globally observed environmental ranges for 48,129 tree species. Glob Chang Biol. 2023;29(22):6303-18. DOI:10.1111/gcb.16914

Klisz M, Puchalka R, Jakubowski M, Koprowski M, Netsvetov M, Prokopuk Y, et al. Local site conditions reduce interspecific differences in climate sensitivity between native and non-native pines. Agricultural and Forest Meteorology. 2023;341. DOI:10.1016/j.agrformet.2023.109694

Kolanowska M. Future distribution of the epiphytic leafless orchid (*Dendrophylax lindenii*), its pollinators and phorophytes evaluated using niche modelling and three different climate change projections. Sci Rep. 2023;13(1):15242. DOI:10.1038/s41598-023-42573-5

Kolanowska M. Loss of fungal symbionts and changes in pollinator availability caused by climate change will affect the distribution and survival chances of myco-heterotrophic orchid species. Sci Rep. 2023;13(1):6848. DOI:10.1038/s41598-023-33856-y

Kor L, Diazgranados M. Identifying important plant areas for useful plant species in Colombia. Biological Conservation. 2023;284. DOI:10.1016/j.biocon.2023.110187

Krah FS, Buntgen U, Bassler C. Temperature affects the timing and duration of fungal fruiting patterns across major terrestrial biomes. Ecol Lett. 2023;26(9):1572-83. DOI:10.1111/ele.14275

Krakhmalnyi M, Isikhuemhen OS, Jeppson M, Wasser SP, Nevo E. Species Diversity of Lycoperdaceae (Agaricales) in Israel, with Some Insights into the Phylogenetic Structure of the Family. *Journal of Fungi*. 2023;9(10):1038.

Krueger T, Robinson A, Bourke G, Fleischmann A. Small Leaves, Big Diversity: Citizen Science and Taxonomic Revision Triples Species Number in the Carnivorous *Drosera micropylla* Complex (D. Section *Ergaleium*, *Droseraceae*). *Biology (Basel)*. 2023;12(1). DOI:10.3390/biology12010141

Kusch E, Ordonez A. Ecological Network Resilience & Extinction Proxies - Updating Projections of Ecological Networks. *bioRxiv*. 2023. DOI:10.1101/2023.08.02.551629

Larsson E, Jordal JB. *Cuphophyllum monteverdae* and *C. hygrocystoides* (*Hygrophoraceae*, *Agaricales*) in Norway and Sweden. *AGARICA*. 2023;43:3-13.

Larsson K-H, Svantesson S, Larsson E. Seven new species in *Piloderma* (*Atheliales*, *Basidiomycota*) from the Northern Hemisphere recovered through morphological and molecular methods. *Fungal Systematics and Evolution*. 2023.

Leon-Alvarado OD, Miranda-Esquivel DR. Phylogenetic diversity and North Andean block conservation. *PeerJ*. 2023;11:e16565. DOI:10.7717/peerj.16565

Lerner D, Martinez MF, Livne-Luzon S, Belmaker J, Penuelas J, Klein T. A biome-dependent distribution gradient of tree species range edges is strongly dictated by climate spatial heterogeneity. *Nat Plants*. 2023;9(4):544-53. DOI:10.1038/s41477-023-01369-1

Li W, Wang R, Liu M-F, Folk RA, Xue B, Saunders RMK. Climatic and biogeographic processes underlying the diversification of the pantropical and early divergent angiosperm family Annonaceae. *bioRxiv*. 2023. DOI:10.1101/2023.08.08.549183

Liden M, Mehregan I. *Dionysia* (Primulaceae) - the cushion primroses. . *Symbolae Botanicae Upsalienses*. 2023;41:1-256. DOI:DivA.org:uu-490496

Lidén M, Oxelman B. Flora of Nepal Notulae IV: New species and resurrected names in *Silene*. *Edinburgh Journal of Botany*. 2023;80:1-28.

Lima AGd, Trovó M, Bacon CD, Queiroz LPd, Souza VC, de Freitas Mansano V. Taxonomic Novelties in *Senna* ser. *Bacillares* (Leguminosae,

Cassieae). *Nordic Journal of Botany*. 2023;2023(9):e03947.
DOI:<https://doi.org/10.1111/njb.03947>

Lima VP, Ferreira de Lima RA, Joner F, D'Orangeville L, Raes N, Siddique I, et al. Integrating climate change into agroforestry conservation: A case study on native plant species in the Brazilian Atlantic Forest. *Journal of Applied Ecology*. 2023;60(9):1977-94.
DOI:10.1111/1365-2664.14464

Liu Y, Heberling JM, Wang Z, Soltis DE, Soltis PS. Niche unfilling dominates the naturalization of species from intercontinentally disjunct genera. *Global Ecology and Biogeography*. 2023;32(11):1977-90. DOI:10.1111/geb.13750

Lopez R, Clapperton BK, Medina-Vogel G. A global review of the American mink (*Neovison vison*) removal techniques? Patagonia as a case study for their potential application. *Gayana*. 2023.

Maclean IMD, Early R. Macroclimate data overestimate range shifts of plants in response to climate change. *Nature Climate Change*. 2023;13(5):484-90. DOI:10.1038/s41558-023-01650-3

Maekawa N, Sugawara R, Kogi H, Norikura S, Sotome K, Endo N, et al. Hypochnicium sensu lato (Polyporales, Basidiomycota) from Japan, with descriptions of a new genus and three new species. *Mycoscience*. 2023;64(1):19-34.

Mandeville C. Applications of participatory monitoring in biodiversity science and conservation. 2023.

Mandeville CP, Nilsen EB, Herfindal I, Finstad AG. Participatory monitoring drives biodiversity knowledge in global protected areas. *Communications Earth & Environment*. 2023;4(1). DOI:10.1038/s43247-023-00906-2

Manrique-Ascencio A, Prieto-Torres DA, Villalobos F, Mercado-Gómez J, Guevara R. Climate change and low species drought tolerance will negatively impact plant richness in the Neotropical seasonally dry forests. *Research Square*. 2023. DOI:10.21203/rs.3.rs-2899371/v1

Matheny P, Kudzma L, Graddy M, Mardini S, Noffsinger C, Swenie R, et al. A phylogeny for North American Malloccybe (Inocybaceae) and taxonomic revision of eastern North American taxa. *Fungal Systematics and Evolution*. 2023;12(1):153-202.

Mathias S, van Galen LG, Jarvie S, Larcombe MJ. Range reshuffling: Climate change, invasive species, and the case of *Nothofagus*

forests in Aotearoa New Zealand. *Diversity and Distributions.* 2023;29(11):1402-19. DOI:10.1111/ddi.13767

Mathur M, Mathur P. Ecological Niche Modelling of an Industrially Important Mushroom - *Ganoderma lucidum* (Leys.) Karsten: A Machine Learning Global Appraisal. *Journal of Scientific & Industrial Research.* 2023;82(12). DOI:10.56042/jsir.v82i12.1973

Maurin O, Anest A, Forest F, Turner I, Barrett RL, Cowan RC, et al. Drift in the tropics: Phylogenetics and biogeographical patterns in Combretaceae. *Global Ecology and Biogeography.* 2023;32(10):1790-802. DOI:10.1111/geb.13737

May TW, Bal P, Hao T, Muscatello A, Bowd E, Catcheside DEA, et al. The impacts of the 2019-20 wildfires on Australian fungi. *Australia's Megafires2023.* DOI:10.1071/9781486316656

McCulloch-Jones EJ, Kraaij T, Crouch N, Faulkner KT. Assessing the invasion risk of traded alien ferns using species distribution models. *NeoBiota.* 2023;87:161-89. DOI:10.3897/neobiota.87.101104

McGeoch M. Invasion trends: An interpretable measure of change is needed to support policy targets. *EcoEvoRxiv.* 2023. DOI:10.32942/x22c82

Metreveli V, Kreft H, Akobia I, Janiashvili Z, Nonashvili Z, Dzadzamia L, et al. Potential Distribution and Suitable Habitat for Chestnut (*Castanea sativa*). *Forests.* 2023;14(10). DOI:10.3390/f14102076

Mežaka A, Irbe I, Stepanova D. Assessment of Rare Epiphytic Liverwort Transplantation Method in *Populus tremula* Forest. *ENVIRONMENT TECHNOLOGIES RESOURCES Proceedings of the International Scientific and Practical Conference.* 2023;1:136-9. DOI:10.17770/etr2023vol1.7310

Miettinen O, Vlasák J, Larsson E, Seelan JSS, Levicky Q, Larsson K-H, et al. A revised genus-level classification for Cerrenaceae (Polyporales, Agaricomycetes). *Fungal Systematics and Evolution.* 2023;12(1):271-322.

Mitka J, Wroblewska A, Boron P, Kucharzyk S, Stachurska-Swakon A. Perhaps there were northern refugia in LGM? The phylogeographic structure of the thermophilic tree *Carpinus betulus* in the Carpathian region. *Sci Total Environ.* 2023;905:167214. DOI:10.1016/j.scitotenv.2023.167214

Mod HK, Rissanen T, Niittynen P, Soininen J, Luoto M. The relationships of plant species occupancy to niches and traits vary with spatial

scale. *Journal of Biogeography*. 2023;50(6):1013-25.
DOI:10.1111/jbi.14608

Moiloa N. Phylogenetic Relationships, Biogeography and Species Delimitation: A case study on southern African *Silene* (Caryophyllaceae) 2023.

Molnar AP, Demeter L, Biro M, Chytry M, Bartha S, Gantuya B, et al. Is there a massive glacial-Holocene flora continuity in Central Europe? *Biol Rev Camb Philos Soc*. 2023;98(6):2307-19.
DOI:10.1111;brv.13007

Moreira H, Kuipers KJJ, Posthuma L, Zijp MC, Hauck M, Huijbregts MAJ, et al. Threats of land use to the global diversity of vascular plants. *Diversity and Distributions*. 2023;29(6):688-97.
DOI:10.1111/ddi.13693

Moura MR, do Nascimento FAO, Paolucci LN, Silva DP, Santos BA. Pervasive impacts of climate change on the woodiness and ecological generalism of dry forest plant assemblages. *Journal of Ecology*. 2023;111(8):1762-76. DOI:10.1111/1365-2745.14139

Ngila P, David C, Owuor M, Wasonga O, Ellwood E, Mugo J, et al. Developing bird friendly transmission power lines in Kenya. *F1000Research*. 2023;12. DOI:10.12688/f1000research.132003.1

Nikkel E, Clements DR, Anderson D, Williams JL. Regional habitat suitability for aquatic and terrestrial invasive plant species may expand or contract with climate change. *Biol Invasions*. 2023;25(12):3805-22. DOI:10.1007/s10530-023-03139-8

Niu Z, Lin Z, Tong Y, Chen X, Deng Y. Complete plastid genome structure of 13 Asian *Justicia* (Acanthaceae) species: comparative genomics and phylogenetic analyses. *BMC Plant Biology*. 2023;23(1):564.

Nuppenau J-N, Höglund E, Minadakis N, Kainulainen K, Humphreys AM. Phylogeography of Icelandic *Agrostis* (Poaceae) Reveals a New Geothermal Lineage. *International journal of plant sciences*. 2023;184(6):413-28.

Oldfather MF, Elmendorf SC, Van Cleemput E, Henn JJ, Huxley JD, White CT, et al. Divergent community trajectories with climate change across a fine-scale gradient in snow depth. *Journal of Ecology*. 2023;112(1):126-37. DOI:10.1111/1365-2745.14223

Olds CG, Berta-Thompson JW, Loucks JJ, Levy RA, Wilson AW. Applying a modified metabarcoding approach for the sequencing of macrofungal

specimens from fungarium collections. *Appl Plant Sci.*
2023;11(1):e11508. DOI:10.1002/aps3.11508

Oliver RY, Iannarilli F, Ahumada J, Fegraus E, Flores N, Kays R, et al. Camera trapping expands the view into global biodiversity and its change. *Philos Trans R Soc Lond B Biol Sci.*
2023;378(1881):20220232. DOI:10.1098/rstb.2022.0232

Oyebanji OO, Onditi KO, Azevedo JAR, Rahaingoson FR, Nneji LM, Adeleye MA, et al. Biogeographic patterns and environmental drivers of species richness in the globally distributed Millettioide/Phaseoloid clade (Fabaceae, subfamily Papilionoideae). *Frontiers in Ecology and Evolution.* 2023;11. DOI:10.3389/fevo.2023.1231553

Pålsson A, Walther U, Fior S, Widmer A. Life history traits mediate elevational adaptation in a perennial alpine plant. *bioRxiv.* 2023. DOI:10.1101/2023.10.17.562199

Pan Y, Garcia-Giron J, Iversen LL. Global change and plant-ecosystem functioning in freshwaters. *Trends Plant Sci.* 2023;28(6):646-60. DOI:10.1016/j.tplants.2022.12.013

Pang S, Slik F, Chisholm RA, Webb E. No clear second choice to long-term sustainability: climate and land-use change impacts on tree distributions in Southeast Asia. *Research Square.* 2023. DOI:10.21203/rs.3.rs-2700255/v1

Pardieu S. Biodiversity in Eastern Kentucky: Effects of Habitat Change, Surface Top Mining, and Current Reclamation Practices 2023.

Park DS, Feng X, Akiyama S, Ardiyani M, Avendano N, Barina Z, et al. The colonial legacy of herbaria. *Nat Hum Behav.* 2023;7(7):1059-68. DOI:10.1038/s41562-023-01616-7

Park DS, Xie YY, Thammavong HT, Tulaisha R, Feng X. Artificial Hotspot Occurrence Inventory (AHOI). *Journal of Biogeography.* 2023;50(2):441-9. DOI:10.1111/jbi.14543

Pederneiras LC, Zamengo HB, Zapata-C DA, Mitidieri-Rivera N, Romaniuc-Neto S, Mansano VdF. *Ficus* subgen. *Spherosuke* sect. *Americanae* ser. *Dugandii* (Moraceae): A Curved Ostiolar Margin Group of Neotropical Fig Trees. *Systematic Botany.* 2023;48(2):263-82.

Pineda YM, Keller HA, Balderrama-Torrico JA, Meve U, Nürk NM, Liede-Schumann S. Phylogenetics in *< i>Scyphostelma</i>* (*< i>Apocynaceae</i>*: *< i>Orthosiinae</i>*) and description of new species. *Willdenowia.* 2023;53(1-2):83-112, 30.

Pinkert S, Sica YV, Winner K, Jetz W. The potential of ecoregional range maps for boosting taxonomic coverage in ecology and conservation. *Ecography*. 2023;2023(12). DOI:10.1111/ecog.06794

Piwowarczyk R, Kolanowska M. Predicting the effect of global warming on the distribution of a polyphagous tree parasite, *Orobanche laxissima*, based on climatic and ecological data. *Global Ecology and Conservation*. 2023;44. DOI:10.1016/j.gecco.2023.e02486

Poelen J. Global Biodiversity Informatics Facility (GBIF): an exhaustive list of gbif record ids, dataset keys, and their associated Occurrence IDs, Institution Code, Collection Codes and Catalog Numbers.
hash://sha256/ea88f03a7bfd1ba853fdbea3203d54ab81ac3cdc8e8da7c96bbbb
a9c4b05d933 hash://md5/c49fe34785354847b37ea4509261e130.
Zenodo2023.

Poncet R, Meyer J-Y, Paradis A-H, Leblond S, Kervran L. A new species of Agonimia (Ascomycota, Eurotiomycetes, Verrucariaceae) from Morane atoll (Tuāmotu-Gambier Islands, French Polynesia). *Plant and Fungal Systematics*. 2023;388-94. DOI:10.35535/pfsyst-2023-0023

Pope NS, Singh A, Childers AK, Kapheim KM, Evans JD, Lopez-Uribe MM. The expansion of agriculture has shaped the recent evolutionary history of a specialized squash pollinator. *Proc Natl Acad Sci U S A*. 2023;120(15):e2208116120. DOI:10.1073/pnas.2208116120

Poppenwimer T, Mayrose I, DeMalach N. Revising the global biogeography of annual and perennial plants. *Nature*. 2023;624(7990):109-14. DOI:10.1038/s41586-023-06644-x

Puchalka R, Paz-Dyderska S, Dylewski L, Czortek P, Vitkova M, Sadlo J, et al. Forest herb species with similar European geographic ranges may respond differently to climate change. *Sci Total Environ*. 2023;905:167303. DOI:10.1016/j.scitotenv.2023.167303

Puchalka R, Paz-Dyderska S, Woziwoda B, Dyderski MK. Climate change will cause climatic niche contraction of *Vaccinium myrtillus* L. and *V. vitis-idaea* L. in Europe. *Sci Total Environ*. 2023;892:164483. DOI:10.1016/j.scitotenv.2023.164483

Puglielli G, Tordoni E, Laanisto L, Kalwij JM, Hutchings MJ, Humphreys AM. Abiotic stress tolerance can explain range size and filling in temperate woody plants. *Perspectives in Plant Ecology, Evolution and Systematics*. 2023;59. DOI:10.1016/j.ppees.2023.125734

Qian H, Deng T. Geographic patterns and climatic correlates of deep evolutionary legacies for angiosperm assemblages in China. *Journal*

of Systematics and Evolution. 2023;61(4):563-71.
DOI:10.1111/jse.12856

Qin F, Xue T, Zhang X, Yang X, Yu J, Gadagkar SR, et al. Past climate cooling and orogenesis of the Hengduan Mountains have influenced the evolution of *Impatiens* sect. *Impatiens* (Balsaminaceae) in the Northern Hemisphere. BMC Plant Biol. 2023;23(1):600.
DOI:10.1186/s12870-023-04625-w

Quatela A-S. Bridging the past to the present: investigating species boundaries with herbarium specimens and next-generation-sequencing. A case study of circumpolar *Silene* sect. *Physolychnis*. 2023.

Quatela A-S, Cangren P, Jafari F, Michel T, de Boer HJ, Oxelman B. Retrieval of long DNA reads from herbarium specimens. AoB Plants. 2023;15(6):plad074.

Ramirez-Barahona S, Cuervo-Robayo AP, Magallon S. Assessing digital accessible botanical knowledge and priorities for exploration and discovery of plant diversity across Mesoamerica. New Phytol. 2023;240(4):1659-72. DOI:10.1111/nph.19190

Reichgelt T, Baumgartner A, Feng R, Willard DA. Poleward amplification, seasonal rainfall and forest heterogeneity in the Miocene of the eastern USA. Global and Planetary Change. 2023;222.
DOI:10.1016/j.gloplacha.2023.104073

Riaño LCP, Rumpf S, Maliniemi T, Flantua S, Grytnes J-A. Reliability of presence-only data for assessing plant community responses to climate warming. Authorea. 2023.
DOI:10.22541/au.169906610.08944517/v1

Richard-Bollans A, Aitken C, Antonelli A, Bitencourt C, Goyder D, Lucas E, et al. Machine learning enhances prediction of plants as potential sources of antimalarials. Front Plant Sci. 2023;14:1173328. DOI:10.3389/fpls.2023.1173328

Ringelberg JJ, Koenen EJM, Sauter B, Aebli A, Rando JG, Iganci JR, et al. Precipitation is the main axis of tropical plant phylogenetic turnover across space and time. Sci Adv. 2023;9(7):eade4954.
DOI:10.1126/sciadv.ade4954

Robin-Champigneul F, Gravendyck J, Huang H, Woutersen A, Pocknall D, Meijer N, et al. Northward expansion of the southern-temperate podocarp forest during the early Eocene: Palynological evidence from the NE Tibetan Plateau (China). Review of Palaeobotany and Palynology. 2023;316. DOI:10.1016/j.revpalbo.2023.104914

Robla J, González-García V, Santamarina S, Artazkoz M. Unravelling the ecological drivers of *Schistostega pennata* (Hedw.) F.Weber & D.Mohr on the Iberian Peninsula: distribution and conservation. *Journal of Bryology*. 2023;45(3):192-207. DOI:10.1080/03736687.2023.2260114

Rodriguez-Merino A. Identifying and Managing Areas under Threat in the Iberian Peninsula: An Invasion Risk Atlas for Non-Native Aquatic Plant Species as a Potential Tool. *Plants (Basel)*. 2023;12(17). DOI:10.3390/plants12173069

Rojas C, Arroyo I, Doss RG. Ethnomycology, Bioprospection, and Uses of Mushrooms in Costa Rica. *Wild Mushrooms and Health* 2023. DOI:10.1201/b23190-4

Ronquillo C, Hurtado F, Hortal Jn. Northwest Iberian Peninsula Selection (NIPS) a global bryophyte occurrences dataset. 2023.

Ronquillo C, Stropp J, Medina NG, Hortal J. Exploring the impact of data curation criteria on the observed geographical distribution of mosses. *Ecol Evol*. 2023;13(12):e10786. DOI:10.1002/ece3.10786

Roudsary LJ, Jafari A, Vaezi J, Karimi E. An Overview of the History of *Bellevalia* (Asparagaceae: Scilloideae) Infrageneric Classifications and Evaluation of Cilia at Leaf Margins to Determine the Position of Species in the Classification. *Acta Botanica Hungarica*. 2023;65(3-4):305-23.

Roy HE, Pauchard Ab, Stoett P, Truong TR. Thematic Assessment Report on Invasive Alien Species and their Control of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. 2023.

Ruprecht E, Essl F, Mot AC, Balaji B, Kuhn T, Fenesi A, et al. Ecological attributes promoting intra-continental range-expansion of a native annual forb triggered by intensified land-use. *Research Square*. 2023. DOI:10.21203/rs.3.rs-2999126/v1

Schertler A, Lenzner B, Dullinger S, Moser D, Bufford Jennifer L, Ghelardini L, et al. Biogeography and global flows of 100 major alien fungal and fungus-like oomycete pathogens. *Journal of Biogeography*. 2023;51(4):599-617. DOI:10.1111/jbi.14755

Schuster JC, Yoshimoto J, Monz?n J. Biodiversidad de Guatemala Volumen III 2023. DOI:10.5281/zenodo.10238198

Shaik Z, Bergh NG, Oxelman B, Verboom GA. Genomic, Phenotypic, and Ecological Data Provide Decisive Support for Multiple Species in

the Seriphium plumosum Complex (Gnaphalieae: Asteraceae). Bulletin of the Society of Systematic Biologists. 2023;2(2):1-23.

Shen F, Xu S, Shen Q, Bi C, Lysak MA. The allotetraploid horseradish genome provides insights into subgenome diversification and formation of critical traits. Nat Commun. 2023;14(1):4102. DOI:10.1038/s41467-023-39800-y

Shirali Z, Negarestani K, Salehi Salmi MR. Typification of seven names in the genus Verbascum (Scrophulariaceae) from Iran. Feddes Repertorium. 2023;134(2):105-16. DOI:<https://doi.org/10.1002/fedr.202200023>

Shumskaya M, Filippova N, Lorentzen L, Blue S, Andrew C, Lorusso NS. Citizen science helps in the study of fungal diversity in New Jersey. Sci Data. 2023;10(1):10. DOI:10.1038/s41597-022-01916-z

Silva CP, Lopez DN, Naulin PI, Estay SA. Can suitability indices predict plant growth in the invaded range? The case of Acacias species. Front Plant Sci. 2023;14:1125019. DOI:10.3389/fpls.2023.1125019

Song XJ, Liu G, Qian ZQ, Zhu ZH. Niche Filling Dynamics of Ragweed (*Ambrosia artemisiifolia* L.) during Global Invasion. Plants (Basel). 2023;12(6). DOI:10.3390/plants12061313

Sperotto P, Roque N, Acevedo-Rodriguez P, Vasconcelos T. Climbing mechanisms and the diversification of neotropical climbing plants across time and space. New Phytol. 2023;240(4):1561-73. DOI:10.1111/nph.19093

Spillias S, Valin H, Batka M, Sperling F, Havlík P, Leclère D, et al. Reducing global land-use pressures with seaweed farming. Nature Sustainability. 2023;6(4):380-90. DOI:10.1038/s41893-022-01043-y

Spirin V, Malysheva V, Viner I, Dudka V, Grebenc T, Miettinen O. Taxonomy and multigene phylogeny of *Pseudohydnum* (Auriculariales, Basidiomycota). Mycological Progress. 2023;22(6):40.

Steinhagen S, Kramár L, Toth GB. The unheeded existence of the tubular greens: molecular analyses reveal the distribution of a new *Ulva* species (Ulvophyceae, Chlorophyta), *Ulva capillata* sp. nov. in the Atlantic-Baltic Sea transect. Journal of Applied Phycology. 2023;35:509-22. DOI:10.1007/s10811-022-02886-w

Stephens RE, Gallagher RV, Dun L, Cornwell W, Sauquet H. Insect pollination for most of angiosperm evolutionary history. New Phytol. 2023;240(2):880-91. DOI:10.1111/nph.18993

Stephens RE, Gallagher RV, Dun L, Cornwell W, Sauquet H. Insects pollinated flowering plants for most of angiosperm evolutionary history. *bioRxiv*. 2023. DOI:10.1101/2023.01.31.526530

Svahnström VJ, Lughadha EN, Forest F, Leão TCC. A global study of the geographic range size of epiphytes. *bioRxiv*. 2023. DOI:10.1101/2023.11.20.567933

Teixeira-Costa L, Heberling JM, Wilson CA, Davis CC. Parasitic flowering plant collections embody the extended specimen. *Methods in Ecology and Evolution*. 2023;14(2):319–31. DOI:10.1111/2041-210x.13866

Thompson JB, Davis KE, Dodd HO, Wills MA, Priest NK. Speciation across the Earth driven by global cooling in terrestrial orchids. *Proc Natl Acad Sci U S A*. 2023;120(29):e2102408120. DOI:10.1073/pnas.2102408120

Timilsina B. Assessment of genetic diversity in plants intended for enrichment planting compared to natural regeneration: A case study in Fjugstad Nature Reserve 2023.

Tiwari S, Tiwari S, Prasad D, Jaiswal S, Yadav R, Sharma S, et al. Typification and taxonomic notes on species of *Muhlenbergia* Schreb. (Poaceae, Muhlenbergiinae) in India. *Plant Science Today*. 2023;10(2):69–73.

TKh M, G B, AM J, AD G. Predicting the potential distribution of *Ranunculus sardous* (Ranunculaceae), a new alien species in the flora of Uzbekistan and Central Asia. . *BioInvasions Records* 2023;12(1):63–77. DOI:10.3391/bir.2023.12.1.05

Toprak Z. Investigation of the Occurrence of *Silene fuscata* in Anatolia Based on Molecular Analysis. *Commagene Journal of Biology*. 2023;7(2):164–70.

Velasco N, Andrade N, Smit C, Bustamante R. Climatic niche convergence through space and time for a potential archaeophyte (*Acacia caven*) in South America. *Sci Rep*. 2023;13(1):9340. DOI:10.1038/s41598-023-35658-8

Viner I, Spirin V, Larsson K-H, Miettinen O. Systematic placement of *Lagarobasidium cymosum* and description of two new species. *Mycologia*. 2023;115(1):122–34.

Wang HY, Miller JA, Grubasic TH, Jha S. Using habitat suitability models for multiscale forensic geolocation analysis. *Transactions in Gis*. 2023;27(3):777–96. DOI:10.1111/tgis.13052

Weaver WN, Smith SA. From leaves to labels: Building modular machine learning networks for rapid herbarium specimen analysis with LeafMachine2. Applications in Plant Sciences. 2023;11(5):e11548.

Weaver WN, Smith SA. From leaves to labels: Building modular machine learning networks for rapid herbarium specimen analysis with LeafMachine2. Appl Plant Sci. 2023;11(5):e11548.
DOI:10.1002/aps3.11548

Weaver WN, Smith SA. FieldPrism: A system for creating snapshot vouchers from field images using photogrammetric markers and QR codes. Appl Plant Sci. 2023;11(5):e11545. DOI:10.1002/aps3.11545

Weber L, Arup U, Schieferleben U., a little-known lichen species in Germany. Herzogia. 2023;36(1):12-28. DOI:10.13158/heia.36.1.2023.12

Weeks A, Swanepoel W. Commiphora of the highlands and escarpments of Angola and Namibia. Namibian Journal of Environment. 2023.

Wilgan R. High Species Diversity but Low Specificity to Ectomycorrhizal Tree Partners Exhibited by Native Truffle Species (spp., Pezizales) in Poland, Central Europe. Forests. 2023;14(12).
DOI:10.3390/f14122407

Xu WB, Blowes SA, Brambilla V, Chow CFY, Fontrodona-Eslava A, Martins IS, et al. Regional occupancy increases for widespread species but decreases for narrowly distributed species in metacommunity time series. Nat Commun. 2023;14(1):1463. DOI:10.1038/s41467-023-37127-2

Yáñez-Ayabaca A, Benítez Á, Molina RB, Naranjo D, Etayo J, Prieto M, et al. Towards a dynamic checklist of lichen-forming, lichenicolous and allied fungi of Ecuador - using the Consortium of Lichen Herbaria to manage fungal biodiversity in a megadiverse country. The Lichenologist. 2023;55(5):203-22. DOI:10.1017/S0024282923000476

Yang F, Wang TT, Wang YH, Wang HC. *iSilene ophioglossa* (Caryophyllaceae, Sileneae), a new species from southwest China. PhytoKeys. 2023;225:99-113. DOI:10.3897/phytokeys.225.98247

Yang M, Zhao H, Xian X, Wang R, Yang N, Chen L, et al. Assessing risk from invasive alien plants in China: Reconstructing invasion history and estimating distribution patterns of *Lolium temulentum* and *Aegilops tauschii*. Front Plant Sci. 2023;14:1113567.
DOI:10.3389/fpls.2023.1113567

Yu J, Zhao H, Niu Y, You Y, Barrett RL, Ranaivoson RM, et al. Distinct hybridization modes in wide- and narrow-ranged lineages of *Causonis*

(Vitaceae). BMC Biol. 2023;21(1):209. DOI:10.1186/s12915-023-01718-8

Yurchenko E, Riebesehl J. Steccherinum filiferum sp. nov. from the neotropics, and a new combination for Odontia laxa. Mycotaxon. 2023;137(4):773-86.

Yurchenko E, Riebesehl J, Miettinen. Steccherinum filiferum sp. nov. from the neotropics, and a new combination for Odontia laxa. Mycotaxon. 2023;137(4):773-86. DOI:10.5248/137.773

Yurchenko E, Wolkowycki M. New species of corticioid fungi (Basidiomycota) for Poland found in Białowieża Primeval Forest in 2018–2020. Acta Mycologica. 2023;58.

Zhang F, Wang C, Zhang C, Wan J. Comparing the Performance of CMCC-BioClimInd and WorldClim Datasets in Predicting Global Invasive Plant Distributions. Biology (Basel). 2023;12(5). DOI:10.3390/biology12050652

Zhang HT, Guo WY, Wang WT. The dimensionality reductions of environmental variables have a significant effect on the performance of species distribution models. Ecol Evol. 2023;13(11):e10747. DOI:10.1002/ece3.10747

Zhang X, Ci X, Hu J, Bai Y, Thornhill AH, Conran JG, et al. Riparian areas as a conservation priority under climate change. Sci Total Environ. 2023;858(Pt 2):159879. DOI:10.1016/j.scitotenv.2022.159879

Zhang YY, Yu SE, Wang WL, Yang LE, Lu QQ, Xie CT, et al. Temperature sensitivity of marine macroalgae for aquaculture in China. Aquaculture. 2023;567. DOI:10.1016/j.aquaculture.2023.739262

Zhao C, Qu M, Huang R, Karunaratna SC. Multi-gene phylogeny and taxonomy of the wood-rotting fungal genus Phlebia sensu lato (Polyporales, Basidiomycota). Journal of Fungi. 2023;9(3):320.

Zhou YD, Qian H, Jin Y, Xiao KY, Yan X, Wang QF. Geographic patterns of taxonomic and phylogenetic beta-diversity of aquatic angiosperms in China. Plant Divers. 2023;45(2):177-84. DOI:10.1016/j.pld.2022.12.006

ნერსეზაშვილი მ, ბერაშვილი დ, ჯონაძე მ, გოქაძე ს, ბოჟაძე ა. გვარი დიუის (Heracleum) სახეობების ქიმიური შემადგენლობა და ბიოლოგიური აქტივობა. Georgian Scientists. 2023. DOI:10.52340/gs.2023.05.02.41