

Elisabeth Hanssons presentation 201127:

Systemisk inflammation, spridning av inflammation i kroppen, som på sikt kan ge kronisk smärta

REFERENCES

1. Ultralow concentrations of bupivacaine exert anti-inflammatory effects on inflammation-reactive astrocytes. L. Block, P. Jörneberg, U. Björklund, A. Westerlund, B. Biber, **E. Hansson**. *Eur. J. Neurosci.* 38 (2013) 3669-3678.
2. Anti-inflammatory substances can influence some glial cell types but not others. J. Forshammar, P. Jörneberg, U. Björklund, A. Westerlund, C. Lundborg, B. Biber, **E. Hansson**. *Brain Res.* 1539 (2013) 34-40.
3. Ultralow dose of naloxone as an adjuvant to intrathecal morphine infusion improves perceived quality of sleep but fails to alter persistent pain. A randomized, double-blind, controlled study. L. Block, C. Lundborg, J. Bjersing, P. Dahm, **E. Hansson**, B. Björn. *Clin J Pain* (2015) Jan 27. [Epub ahead of print] DOI:10.1097/AJP.0000000000000200.
4. Plasma pro-inflammatory markers in chronic neuropathic pain: Why elevated levels may be relevant for diagnosis and treatment of patients suffering chronic pain. **E. Hansson**, H. Breivik. *Scand J Pain* 10 (2016) 52–53.
5. Therapeutic innovation: Inflammatory-reactive astrocytes as targets of inflammation. E. Skiöldebrand, T. Werner, U. Björklund, **E. Hansson**. *IBRO Reports* 1 (2016) 1-9.
6. Sildenafil (Viagra®) prevents and restores LPS-induced inflammation in astrocytes. A. K. de Santana Nunes, C. Rapôso, U. Björklund, M. A. da Cruz-Höfling, C. Alves Peixoto, **E. Hansson**. *Neurosci Lett* 630 (2016) 59-65.
7. Inflammatory activation of human cardiac fibroblasts leads to altered calcium signaling, decreased connexin 43 expression and increased glutamate secretion. E. Skiöldebrand, A. Lundqvist, U. Björklund, M. Sandstedt, A. Lindahl, **E. Hansson**, L. Mattsson Hultén. *Heliyon* 3 (2017) e00406. doi: 10.1016/j.heliyon.2017.e00406.
8. Biochemical alterations in inflammatory reactive chondrocytes: Evidence for intercellular network communication. E. Skiöldebrand, A. Thorfve, U. Björklund, P. Johansson, R. Wickelgren, A. Lindahl, **E. Hansson**. (2018) *Heliyon_2017_2632_R2*.
9. Elevated glucose levels preserve glucose uptake, hyaluronan production, and low glutamate release following interleukin-1 β stimulation of differentiated chondrocytes. V. Rotter Sopasakis, R. Wickelgren, V. Sukonina, C. Brantsing, E. Svala, **E. Hansson**, S. Enerbäck, A. Lindahl, E. Skiöldebrand. *Cartilage* (2018) 1-13. DOI: 10.1177/1947603518770256.
10. Anti-inflammatory effects induced by pharmaceutical substances on inflammatory active brain astrocytes – promising treatment of neuroinflammation. **E. Hansson**, U. Björklund, E. Skiöldebrand, L. Rönnbäck. (2018) *J Neuroinflammation* <https://doi.org/10.1186/s12974-018-1361-8>.
11. Anti-inflammatory effects induced by ultralow concentrations of bupivacaine in combination with ultralow concentrations of sildenafil (Viagra) and vitamin D3 on inflammatory reactive brain astrocytes. **E. Hansson**, E. Skiöldebrand. *PLOS ONE* (2019), <https://doi.org/10.1371/journal.pone.0223648>.
12. Serotonin-evoked cytosolic Ca²⁺ release and opioid receptor expression are upregulated in articular cartilage chondrocytes from osteoarthritic joints in horses. E. Skiöldebrand, C. Ley, U. Björklund, A. Lindahl, **E. Hansson**. *Veterinary and Animal Science* 8 (2019) 100078, <https://doi.org/10.1016/j.vas.2019.100078>.

Reviews

13. Astroglial-endothelial interactions at the blood-brain barrier. *Nature Rev. Neurosci.* 7 (2006) 41-53. N.J. Abbott, L. Rönnbäck, **E. Hansson**.
14. Could chronic pain and spread of pain sensation be induced and maintained by glial activation? *Acta Physiol. Scand.* 187 (2006) 321-327. **E. Hansson**.
15. Long-term pain, neuroinflammation and glial activation. *Scand J Pain.* 1 (2010) 67–72. **E. Hansson**.

16. Actin filament reorganization in astrocyte networks is a key functional step in neuroinflammation resulting in persistent pain – novel findings on network restoration. *Neurochem. Res.* (2014) DOI 10.1007/s11064-014-1363-6. 40 (2015) 372-379. **E. Hansson.**
17. Coupled cell networks are target cells of inflammation, which can spread between different body organs and develop into systemic chronic inflammation. *J. Inflammation* (2015) 12:44 DOI 10.1186/s12950-015-0091-2. **E. Hansson, E. Skiöldebrand.**
18. Gap junction coupled cells, barriers and systemic inflammation. *Int. J. Open Accesss Ophthal.* Jan 6 (2017). C. Rönnbäck, **E. Hansson.**
19. Low-grade inflammation causes gap junction-coupled cell dysfunction throughout the body, which can lead to the spread of systemic inflammation. *Scand. J. Pain* (2019) <https://doi.org/10.1515/sjpain-2019-0061>. **E. Hansson, E. Skiöldebrand.**
20. The importance and control of low-grade inflammation due to damage of cellular barrier systems that may lead to systemic inflammation. *Front. Neurology* (2019) 10, article 533. Doi:10.3389/fneur.2019.00533. C. Rönnbäck, **E. Hansson.**