

1. 3 GPWG, Arthan W, Baker WJ, Barrett MD, Barrett RL, Bennetzen J, et al. Nuclear phylogenomics of grasses (Poaceae) supports current classification and reveals repeated reticulation. *bioRxiv*. 2024:2024.05.28.596153.
2. Al-Shehbaz I. 53. Brassicaceae. In: Persson C, R E, Romoleroux K, Ståhl B, editors. *Flora of Ecuador* 98. Göteborg: Department of Biological and Environmental Sciences; 2024.
3. Alencar JBR, Porto AC, Souza DD, Fernandes DRR. Global predictive invasion modeling of Asian wood-wasp (*Matsumura*) (Hymenoptera: Siricidae): insights gained from L. occurrences, and the first record of this invasive species in South America. *Biological Invasions*. 2024;26(10):3257-69. DOI:10.1007/s10530-024-03377-4
4. Alencar JBR, Sampaio A, da Fonseca CRV. Ecological niche modeling of two *Microtheca* Stal, 1860 species (Coleoptera: Chrysomelidae: Chrysomelinae) in the Americas: insights from Brassicaceae occurrence. *Int J Biometeorol*. 2024;68(5):891-8. DOI:10.1007/s00484-024-02634-4
5. Alvarez-Canali D, Sanson M, Sangil C, Tronholm A. Multigene phylogenetics of *Sargassum* (Phaeophyceae) revealed low molecular diversity in contrast to high morphological variability in the NE Atlantic Ocean. *J Phycol*. 2024. DOI:10.1111/jpy.13517
6. Andrade-Pereira D, Cuddington K. Range expansion risk for a newly established invasive duckweed species in Europe and Canada. *Plant Ecology*. 2024;225(8):839-50. DOI:10.1007/s11258-024-01436-3
7. Anest A, Bouchenak-Khelladi Y, Charles-Dominique T, Forest F, Caraglio Y, Hempson GP, et al. Blocking then stinging as a case of two-step evolution of defensive cage architectures in herbivore-driven ecosystems. *Nat Plants*. 2024;10(4):587-97. DOI:10.1038/s41477-024-01649-4
8. Arias JS. Phylogenetic biogeography inference using dynamic paleogeography models and explicit geographic ranges. *Syst Biol*. 2024. DOI:10.1093/sysbio/syae051
9. Arle E, Knight TM, Jimenez-Munoz M, Biancolini D, Belmaker J, Meyer C. The cumulative niche approach: A framework to assess the performance of ecological niche model projections. *Ecol Evol*. 2024;14(2):e11060. DOI:10.1002/ece3.11060
10. Arrogante-Funes F, Aguado I, Chuvieco E. Global impacts of fire regimes on wildland bird diversity. *Fire Ecology*. 2024;20(1). DOI:10.1186/s42408-024-00259-x
11. Atsumi K, Nishida Y, Ushio M, Nishi H, Genroku T, Fujiki S. Boosting biodiversity monitoring using smartphone-driven, rapidly accumulating citizen data. *bioRxiv*. 2024. DOI:10.1101/2023.09.13.557657
12. Azevedo-Schmidt L, Currano ED, Dunn RE, Gjeli E, Pittermann J, Sessa E, et al. Ferns as facilitators of community recovery following biotic upheaval. *Bioscience*. 2024;74(5):322-32. DOI:10.1093/biosci/biae022
13. Ball L, Bedoya AM, Machado SR, Paredes-Burneo D, Rutledge S, Boyd D, et al. What 'unexplored' means: Mapping undersampled regions in natural history collections. *bioRxiv*. 2024. DOI:10.1101/2024.02.09.579602
14. Beames SK, Maher PT. *Routledge handbook on mobile technology, social media and the outdoors*. Routledge. [https://www.routledge.com/Routledge-Handbook-of-Mobile ...](https://www.routledge.com/Routledge-Handbook-of-Mobile-...); 2024.
15. Beech E. *Palicourea demissa*. IUCN Red List of Threatened Species 2024.
16. Bondi L, Prado B, de Paula LFA, Rosado BHP, Porembski S. Rethinking the relationship between desiccation-tolerant vascular plants and water deficit. *Plant Ecology & Diversity*. 2024;17(1-2):1-19. DOI:10.1080/17550874.2024.2328832
17. Bötscher L. Pulsed plant evolution in mountain ecosystems: identifying rate changes of range shift and morphology 2024. DOI:10.5451/unibas-ep96375
18. Boyko JD, Vasconcelos T. Rates of biome shift predict diversification dynamics in flowering plants. *bioRxiv*. 2024. DOI:10.1101/2024.06.03.597046
19. Brantschen J, Fopp F, Adde A, Keck F, Guisan A, Pellissier L, et al. Habitat suitability models reveal the spatial signal of environmental DNA in riverine networks. *Ecography*. 2024;2024(8). DOI:10.1111/ecog.07267
20. Bruneau A, de Queiroz LP, Ringelberg JJ, Borges LM, Bortoluzzi R, Brown GK, et al. *Advances in Legume Systematics* 14. Classification of Caesalpinoideae. Part 2: Higher-level classification. *PhytoKeys*. 2024;240:1-552. DOI:10.3897/phytokeys.240.101716
21. Burger M, Chory J. A potential role of heat-moisture couplings in the range expansion of *Striga asiatica*. *Ecol Evol*. 2024;14(5):e11332. DOI:10.1002/ece3.11332
22. Camac JS. Detect: Designing Post-Border Surveillance Schemes. *Biosecurity* 2024. DOI:10.1201/9781003253204-9
23. Camila Pacheco-Riaño L, Rumpf S, Maliniemi T, Flantua SGA, Grytnes JA. Reliability of presence-only data for assessing plant community responses to climate warming. *Ecography*. 2024;2024(7). DOI:10.1111/ecog.07213
24. Canales NA, Pérez-Escobar OA, Powell RF, Töpel M, Kidner C, Nesbitt M, et al. Building a novel nuclear-organelle genomic framework for the fever tree (*Cinchona pubescens* Vahl) through short and long-read DNA data assemblies. 2024.
25. Capinha C, Ceia-Hasse A, de-Miguel S, Vila-Vicosa C, Porto M, Jaric I, et al. Using citizen science data for predicting the timing of ecological phenomena across regions. *Bioscience*. 2024;74(6):383-92. DOI:10.1093/biosci/biae041
26. Capinha C, Monteiro AT, Ceia-Hasse A. Supporting early detection of biological invasions through short-term spatial forecasts of detectability. *bioRxiv*. 2024. DOI:10.1101/2024.06.12.598508

27. Card DC. Diminishing growth of zoological natural history collections threatens future research in the life sciences and beyond. *bioRxiv*. 2024. DOI:10.1101/2023.09.29.560208
28. Cardoso MNM, Azevedo F, Dias A, de Almeida ACS, Senna AR, Marques AC, et al. Causes and effects of sampling bias on marine Western Atlantic biodiversity knowledge. *Diversity and Distributions*. 2024;30(6). DOI:10.1111/ddi.13839
29. Cardoso PH, Colli-Silva M, Neto LM, Trovó M. Distribution and historical aspects of Brazilian *Stachytarpheta* (Verbenaceae): Exploring a comprehensive dataset of taxonomically verified specimens. *Flora*. 2024;317. DOI:ARTN 152561 10.1016/j.flora.2024.152561
30. Carmona-Higuita MJ, Mendieta-Leiva G, Gómez-Díaz JA, Villalobos F, Ramos FN, Elias JPC, et al. Conservation status of vascular epiphytes in the neotropics. *Biodiversity and Conservation*. 2024;33(1):51-71. DOI:10.1007/s10531-023-02730-8
31. Carruthers T, Moerland MS, Ebersbach J, Favre A, Folk RA, Hawkins JA, et al. Repeated upslope biome shifts in *Saxifraga* during late-Cenozoic climate cooling. *Nat Commun*. 2024;15(1):1100. DOI:10.1038/s41467-024-45289-w
32. Ceccarelli V, Fremout T, Chavez E, Argüello D, Solórzano RGL, Cantos IAS, et al. Vulnerability to climate change of cultivated and wild cacao in Ecuador. *Climatic Change*. 2024;177(7). DOI:ARTN 103 10.1007/s10584-024-03756-9
33. Chanachai J, Asamoah EF, Maina JM, Wilson PD, Nipperess DA, Esperon-Rodriguez M, et al. What remains to be discovered: A global assessment of tree species inventory completeness. *Diversity and Distributions*. 2024;30(7). DOI:ARTN e13862 10.1111/ddi.13862
34. Chauvier-Mendes Y, Pollock LJ, Verburg PH, Karger DN, Pellissier L, Lavergne S, et al. Transnational conservation to anticipate future plant shifts in Europe. *Nat Ecol Evol*. 2024;8(3):454-66. DOI:10.1038/s41559-023-02287-3
35. Chevalier M, Pignard V, Broennimann O, Guisan A. A cautionary message on combining physiological thermal limits with macroclimatic data to predict species distribution. *Ecosphere*. 2024;15(7). DOI:ARTN e4931 10.1002/ecs2.4931
36. Cobra E Monteiro T, Ricardo Vieira Iganci J, Teresinha Sfoggia Miotto S, Simpson BB, Vatanparast M, P. Lewis G, et al. Towards a Monophyletic Infrageneric Circumscription of *Adesmia* DC. (Dalbergieae, Leguminosae): a Taxonomic Revision in *Adesmia* series *Adesmia*. *Phytotaxa*. 2024;639(1):1-69. DOI:10.11646/phytotaxa.639.1.1
37. Cortese MR, Freestone AL. When species don't move together: Non-concurrent range shifts in Eastern Pacific kelp forest communities. *PLoS One*. 2024;19(5):e0303536. DOI:10.1371/journal.pone.0303536
38. Crespo MB, Martínez-Azorín M, Mavrodiev EV. "Reticulata irises": a nomenclatural and taxonomic synopsis of the genera *Alatavia* and *Iridodictyum* (Iris subg. *Hermodyctyloides* auct., Iridaceae). *Plant Biosystems-An International Journal Dealing with all Aspects of Plant Biology*. 2024:1-25.
39. Crous PW, Jurjevic Z, Balashov S, De la Pena-Lastra S, Mateos A, Pinruan U, et al. Fungal Planet description sheets: 1614-1696. *Fungal Syst Evol*. 2024;13(1):183-440. DOI:10.3114/fuse.2024.13.11
40. Crum AH, Philander L, Busta L, Yang Y. Traditional medicinal use is linked with apparency, not specialized metabolite profiles in the order Caryophyllales. *Am J Bot*. 2024;111(4):e16308. DOI:10.1002/ajb2.16308
41. Daru BH. Predicting undetected native vascular plant diversity at a global scale. *Proc Natl Acad Sci U S A*. 2024;121(34):e2319989121. DOI:10.1073/pnas.2319989121
42. de Melo PHA, Bystrakova N, Lucas E, Monro AK. A new R package to parse plant species occurrence records into unique collection events efficiently reduces data redundancy. *Sci Rep*. 2024;14(1):5450. DOI:10.1038/s41598-024-56158-3
43. de Sousa F, Bertrand YJ, Zizka A, Cangrén P, Oxelman B, Pfeil BE. Chloroplast genome and nuclear loci data for 71 *Medicago* species. *Data in Brief*. 2024;54:110540.
44. Delves J, Albán-Castillo J, Cano A, Aviles CF, Gagnon E, Gonzáles P, et al. Small and in-country herbaria are vital for accurate plant threat assessments: A case study from Peru. *Plants People Planet*. 2024;6(1):174-85. DOI:10.1002/ppp3.10425
45. Díaz-Borrego R, Pérez-Navarro MA, Jaime L, Elvira NJ, Lloret F. Climatic disequilibrium of recruit communities across a drought-induced die-off gradient in Mediterranean shrubland. *Oikos*. 2024;2024(7). DOI:10.1111/oik.10465
46. Edlund M, Anderson BM, Su H-J, Robison T, Caraballo-Ortiz MA, Der JP, et al. Plastome evolution in Santalales involves relaxed selection prior to loss of *ndh* genes and major boundary shifts of the inverted repeat. *Annals of Botany*. 2024:mcae145.
47. Edwards-Calma K, Jimenez L, Zenil-Ferguson R, Heyduk K, Thomas MK, Tribble CM. Conservation applications of niche modeling: Native and naturalized ferns may compete for limited Hawaiian dryland habitat. *Appl Plant Sci*. 2024;12(3):e11598. DOI:10.1002/aps3.11598
48. Edwards-Calma K, Jiménez L, Zenil-Ferguson R, Heyduk K, Thomas MK, Tribble CM. Conservation applications of ecological niche modeling: non-native ferns may compete with native ferns for limited suitable habitat in Hawaiian dryland ecosystems. *bioRxiv*. 2024. DOI:10.1101/2023.11.01.565183
49. Enin EV, Vinkovskaia OP. ECOLOGY AND DISTRIBUTION OF *SALIX BRACHYPODA* (TRAUTV. ET C.A. MEY.) KOM. (*SALICACEAE* MIRB.) IN BAIKAL SIBERIA. Fundamental and applied research for key propriety areas of bioecology and

biotechnology. 2024. DOI:10.31483/r-111808

50. Esperon-Rodriguez M, Correa-Metrio A, Beaumont LJ, Baumgartner JB, Lenoir J. Evaluating the impact of protected areas in lowering extinction risks in a biodiversity hotspot. *Biological Conservation*. 2024;297. DOI:ARTN 110728 10.1016/j.biocon.2024.110728
51. Esperon-Rodriguez M, Gallagher RV, Souverijns N, Lejeune Q, Schleussner CF, Tjoelker MG. Mapping the climate risk to urban forests at city scale. *Landscape and Urban Planning*. 2024;248. DOI:ARTN 105090 10.1016/j.landurbplan.2024.105090
52. Esteve-Raventós F, Larsson E, Pancorbo F, Bizio E, Altés A, Turégano Y, et al. A Taxonomic and Phylogenetic Contribution on Inosperma Section Inosperma (Agaricales, Inocybaceae) in Europe: Calamistratum and Geraniodorum Groups. *Journal of Fungi*. 2024;10(6):374.
53. Fedorov N, Muldashev A, Mikhaylenko O, Zhigunova S, Baisheva E, Shirokikh P, et al. Forecast the Habitat Sustainability of *Schoenus ferrugineus* L. (Cyperaceae) in the Southern Urals under Climate Change. *Plants (Basel)*. 2024;13(11). DOI:10.3390/plants13111563
54. Feng K, Walker JF, Marx HE, Yang Y, Brockington SF, Moore MJ, et al. The link between ancient whole-genome duplications and cold adaptations in the Caryophyllaceae. *Am J Bot*. 2024;111(8):e16350. DOI:10.1002/ajb2.16350
55. Fierke J, Joelson NZ, Loguercio GA, Putzenlechner B, Simon A, Wyss D, et al. Assessing uncertainty in bioclimatic modelling: a comparison of two high-resolution climate datasets in northern Patagonia. *Regional Environmental Change*. 2024;24(3). DOI:ARTN 110 10.1007/s10113-024-02278-5
56. Fradera-Soler M, Tshikesho R, Nanyeni L, Grace OM. Exploring Namibia's Diverse Succulent and Arid-Adapted Flora: Notes from Fieldwork. *Cactus and Succulent Journal*. 2024;96(1). DOI:10.2985/015.096.0104
57. Fuljer F, Zajac M, Boertmann D, Strašitáková D, Larsson E, Kautmanová I. Contribution to European representatives of the genus *Hygrocybe*: Two new species and neotypification of *Hygrocybe mucronella*. *Fungal Systematics and Evolution*. 2024.
58. Gallardo B, Bacher S, Barbosa AM, Gallien L, Gonzalez-Moreno P, Martinez-Bolea V, et al. Risks posed by invasive species to the provision of ecosystem services in Europe. *Nat Commun*. 2024;15(1):2631. DOI:10.1038/s41467-024-46818-3
59. Gan Z, Fang X, Yin C, Tian Y, Zhang L, Zhong X, et al. Extraction, purification, structural characterization, and bioactivities of the genus *Rhodiola* L. polysaccharides: A review. *Int J Biol Macromol*. 2024;276(Pt 1):133614. DOI:10.1016/j.ijbiomac.2024.133614
60. García Lino MC, Pfanzelt S, Domic AI, Hensen I, Schitteck K, Meneses RI, et al. Carbon dynamics in high-Andean tropical cushion peatlands: A review of geographic patterns and potential drivers. *Ecological Monographs*. 2024;94(3). DOI:10.1002/ecm.1614
61. García-Roselló E, González-Dacosta J, Lobo JM. Exploring biodiversity challenges in Europe: Completeness, geography and environmental representativeness. *Research Square*. 2024. DOI:10.21203/rs.3.rs-4251904/v1
62. Geier C, Bouchal JM, Ulrich S, Uhl D, Wappler T, Wedmann S, et al. Potential pollinators and paleoecological aspects of Eocene *Ludwigia* (Onagraceae) from Eckfeld, Germany. *Palaeoworld*. 2024;33(4):1079-104. DOI:10.1016/j.palwor.2023.07.003
63. Gibau de Lima A, Trovó M, Da Costa Bortoluzzi RL, Gastaldello Rando J, Bacon CD, De Freitas Mansano V. Taxonomic Revision of *Senna* ser. *Spinescentes*, with Two New South American Species. *Annals of the Missouri Botanical Garden*. 2024;109:413-27. DOI:10.3417/2024877
64. Goicolea T, Adde A, Broennimann O, García-Viñas JI, Gastón A, Aroca-Fernández MJ, et al. Spatially-nested hierarchical species distribution models to overcome niche truncation in national-scale studies. *Ecography*. 2024. DOI:10.1111/ecog.07328
65. González MV, Montti L, Jimenez YG, Aráoz E. Linking Migration Flows With the Prevalence of Exotic Plant Species in the Andes. *Mountain Research and Development*. 2024;44(1):R1-R9. DOI:10.1659/mrd.2023.00017
66. Graves S, Spitz G, Manzitto-Tripp E. Observing Shifts In Global Tropical Flowering Phenology. *Research Square*. 2024. DOI:10.21203/rs.3.rs-4469241/v1
67. Gu SR, Zeng QB, Clark R, Jiang KW, Pérez-Escobar OA, Li SJ, et al. Phylogeny and re-circumscription of *Cheniella* (Leguminosae: Cercidoideae) based on plastome data and morphology, with description of three new species. *Taxon*. 2024;73(2):475-502.
68. Gutierrez-Larruscain D, Vargas P, Fernandez-Mazuecos M, Pausas JG. Phylogenomic analysis reveals the evolutionary history of Palearctic needle-leaved junipers. *Mol Phylogenet Evol*. 2024;199:108162. DOI:10.1016/j.ympev.2024.108162
69. Hagen ER, Vasconcelos T, Boyko JD, Beaulieu JM. Investigating historical drivers of latitudinal gradients in polyploid plant biogeography: A multiclade perspective. *Am J Bot*. 2024;111(8):e16356. DOI:10.1002/ajb2.16356
70. Hamala T, Moore C, Cowan L, Carlile M, Gopaulchan D, Brandrud MK, et al. Impact of whole-genome duplications on structural variant evolution in *Cochlearia*. *Nat Commun*. 2024;15(1):5377. DOI:10.1038/s41467-024-49679-y

71. Hanberry BB. Tree species distributions in the United States and Canada under climate from 20,000 years ago to year 2100. *Trees Forests and People*. 2024;17. DOI:ARTN 100612
10.1016/j.tfp.2024.100612
72. Hanberry BB. Practical guide for retaining correlated climate variables and unthinned samples in species distribution modeling, using random forests. *Ecological Informatics*. 2024;79. DOI:ARTN 102406
10.1016/j.ecoinf.2023.102406
73. He MQ, Cao B, Liu F, Boekhout T, Denchev TT, Schoutteten N, et al. Phylogenomics, divergence times and notes of orders in Basidiomycota. *Fungal Diversity*. 2024;126(1):1-125. DOI:10.1007/s13225-024-00535-w
74. Henriksen MV, Arle E, Pili A, Clarke DA, Garcia-Berthou E, Groom Q, et al. Global indicators of the environmental impacts of invasive alien species and their information adequacy. *Philos Trans R Soc Lond B Biol Sci*. 2024;379(1902):20230323. DOI:10.1098/rstb.2023.0323
75. Heringer G, Fernandez RD, Bang A, Cordonnier M, Novoa A, Lenzner B, et al. Economic costs of invasive non-native species in urban areas: An underexplored financial drain. *Sci Total Environ*. 2024;917:170336.
DOI:10.1016/j.scitotenv.2024.170336
76. Holmboe J. Natural history specimens collected and/or identified and deposited (by Jens Holmboe). 2024.
77. Holmes R, Pelsler P, Barcelona J, Tjitrosoedirdjo SS, Wahyuni I, van Kleunen M, et al. Naturalizations have led to homogenization of the Malesian flora in the Anthropocene. *Journal of Biogeography*. 2024;51(3):394-408. DOI:10.1111/jbi.14766
78. Jin M-F, Cai X-H, Chen G. Seed dispersal by deception: A game between mimetic seeds and their bird dispersers. *Plant Diversity*. 2024. DOI:10.1016/j.pld.2024.07.006
79. Karunarathne P, Zhou Q, Lascoux M, Milesi P. Hybridization mediated range expansion and climate change resilience in two keystone tree species of boreal forests. *Glob Chang Biol*. 2024;30(4):e17262. DOI:10.1111/gcb.17262
80. Khan FK, Sánchez-García M, Johannesson H, Ryberg M. High rate of gene family evolution in proximity to the origin of ectomycorrhizal symbiosis in Inocybaceae. *New Phytologist*. 2024.
81. Khan T, El-Gabbas A, Golivets M, Souza A, Gordillo J, Kierans D, et al. Prototype Biodiversity Digital Twin: Invasive Alien Species. *Research Ideas and Outcomes*. 2024;10. DOI:10.3897/rio.10.e124579
82. Kibria MG, Tjoelker MG, Marchin RM, Arndt SK, Rymer PD. Can species climate niche predict canopy growth, functional traits and phenotypic plasticity in urban trees? *Urban Forestry & Urban Greening*. 2024;98.
DOI:10.1016/j.ufug.2024.128417
83. Klages JP, Hillenbrand CD, Bohaty SM, Salzmann U, Bickert T, Lohmann G, et al. Ice sheet-free West Antarctica during peak early Oligocene glaciation. *Science*. 2024;385(6706):322-7. DOI:10.1126/science.adj3931
84. Kor L, Fernandez-Lucero M, Granados Florez DA, Dawson TP, Diazgranados M. Bridging local and scientific knowledge for area-based conservation of useful plants in Colombia. *Ambio*. 2024;53(2):309-23. DOI:10.1007/s13280-023-01921-5
85. Körschens M, Bucher SF, Bodesheim P, Ulrich J, Denzler J, Römermann C. Determining the community composition of herbaceous species from images using convolutional neural networks. *Ecological Informatics*. 2024;80. DOI:ARTN 102516
10.1016/j.ecoinf.2024.102516
86. Kotilainen A, Mattila ALK, Moller C, Koivusaari S, Hyvarinen MT, Hallfors MH. Higher thermal plasticity in flowering phenology increases flowering output. *Ecol Evol*. 2024;14(7):e11657. DOI:10.1002/ece3.11657
87. KOUT J, MARTÍNEK O, HOLEC J, ZÍBAROVÁ L. New records of *Pseudomerulius montanus* (Basidiomycota, Boletales) in Czechia and Slovakia. 2024.
88. Kuai X, Fu Q, Sun H, Deng T. Expeditionplus: The application of a gridded system in the integration of multidimensional environmental factors. *Plant Diversity*. 2024. DOI:10.1016/j.pld.2024.01.001
89. Kuhnt A. *Myxomyceten: Berichte, Teil 1: BoD–Books on Demand*; 2024.
90. Kwon TS, Kim SS, Gaget E, Choi WI, Lee DS, Park YS. Evaluation of moth community changes and northward shifts in response to climate warming in Korea using both local and global occurrences. *Global Ecology and Conservation*. 2024;49.
DOI:ARTN e02763
10.1016/j.gecco.2023.e02763
91. Laeseke P, Martínez BDC, Bischof K. Large-scale deviations between realized and fundamental thermal niches in global seaweed distributions. *Diversity and Distributions*. 2024;30(8). DOI:10.1111/ddi.13868
92. Lakušić D, Kuzmanović N, Shuka L, Novaković J, Vukojičić S. A nomenclatural and taxonomic re-evaluation of neglected *Centaurea candelabrum* Hayek & Košanin (sect. *Acrocentron*, Asteraceae) and related serpentine endemics from the Balkan Peninsula. *Botanica Serbica*. 2024;48(2):273-84.
93. Lamb BE, Hurd CL, Bellgrove A, Macleod C. *Aquaculture Production of Australian Laminarian Kelps: A manual and research recommendations for Ecklonia radiata*. 2024.
94. Lapin K, Hoffmann JA, Braun M, Oettel J. Identification and prioritization of stepping stones for biodiversity conservation in forest ecosystems. *Conservation Science and Practice*. 2024;6(7). DOI:10.1111/csp2.13161
95. Lazzara A, Kumbaric A, Pergola A, Caneva G. *Braiding Fruits and Flowers as a Wish of Prosperity and Victory over*

- Death in the Carved Festoons of Ancient Rome. *Plants (Basel)*. 2024;13(19):2795. DOI:10.3390/plants13192795
96. Lebe T, May TW, Cooper JA, Catcheside D, Catcheside P, Haska J. Confirming the presence of five exotic species of *Amanita* in Australia and New Zealand. *Swainsona*2024.
97. Lemoine G. Distribution of *Chaenotheca chrysocephala* and *Chaenothecopsis consociata* in Europe: An investigation based on herbarium material and online databases GBIF 2024.
98. Leshchenko Y. Ecological characteristics of nivicolous slime molds with respect to climate change. 2024.
99. Lessa T, Alves-Martins F, Martinez-Arribas J, Correia RA, Mendelsohn J, Fabiano EC, et al. Quantifying spatial ignorance in the effort to collect terrestrial fauna in Namibia, Africa. *Ecological Indicators*. 2024;158. DOI:ARTN 111490 10.1016/j.ecolind.2023.111490
100. Li Y, Wang Y, Zhao C, Du X, He P, Meng F. Predicting the spatial distribution of three *Ephedra* species under climate change using the MaxEnt model. *Heliyon*. 2024;10(12):e32696. DOI:10.1016/j.heliyon.2024.e32696
101. Lima LV, Almeida TE, Kessler M, Rouhan G, Salino A. (3006) Proposal to conserve the name
(
) with a conserved type. *Taxon*. 2024;73(1):305-6. DOI:10.1002/tax.13119
102. Linck EB, Cadena CD. A Latitudinal Gradient of Reference Genomes. *Mol Ecol*. 2024:e17551. DOI:10.1111/mec.17551
103. Locke D, Chapman M, Ellis-Soto D. Historic residential segregation impacts biodiversity data availability disparately across the tree of life. *EcoEvoRxiv*. 2024. DOI:10.32942/x2d04v
104. López-Pérez JD, Zamudio S, Munguía-Lino G, Rodríguez A. A new endemic species and species richness distribution of the genus *Pinguicula* (*Lentibulariaceae*) in the Trans-Mexican Volcanic Belt, Mexico. *Botanical Sciences*. 2024;102(3):995-1008. DOI:10.17129/botsci.3485
105. Lozano V, Marzalletti F, Acosta ATR, Arduini I, Bacchetta G, Domina G, et al. Prioritizing management actions for invasive non-native plants through expert-based knowledge and species distribution models. *Ecological Indicators*. 2024;166. DOI:10.1016/j.ecolind.2024.112279
106. Luize BG, Bauman D, ter Steege H, Palma-Silva C, Do Amaral IL, de Souza Coelho L, et al. Geography and ecology shape the phylogenetic composition of Amazonian tree communities. *Journal of Biogeography*. 2024.
107. Manrique-Ascencio A, Prieto-Torres DA, Villalobos F, Guevara R. Climate-driven shifts in the diversity of plants in the Neotropical seasonally dry forest: Evaluating the effectiveness of protected areas. *Glob Chang Biol*. 2024;30(4):e17282. DOI:10.1111/gcb.17282
108. Manrique-Ascencio A, Prieto-Torres DA, Villalobos F, Mercado Gomez J, Guevara R. Limited drought tolerance in the neotropical seasonally dry forest plants impairs future species richness. *Plant Biol (Stuttg)*. 2024. DOI:10.1111/plb.13683
109. Martínez-Fonseca JG, Trujillo LA, Westeen EP, Reid FA, Hood C, Fernández-Mena MA, et al. New departmental and noteworthy records of mammals (*Mammalia*, *Theria*) from Nicaragua. *Check List*. 2024;20(3):706-20. DOI:10.15560/20.3.706
110. Menegoz K, Villarroel AE, Lavandero N. Phylogeny of *Berberidopsidales* based on nuclear and chloroplast loci, with the description of a new species of *Berberidopsis* endemic to Central Chile. *Taxon*. 2024;73(3):800-17. DOI:10.1002/tax.13170
111. Minghetti E, Dellapé PM, Montemayor SI. *Orsillus depressus* (*Heteroptera: Lygaeidae*), an invasive circum-mediterranean species recently reported from America. Are the endemic and already endangered *Cupressaceae* trees from the Andean Region facing a new challenge? *Biological Invasions*. 2024;26(7):2251-66. DOI:10.1007/s10530-024-03313-6
112. Muriel S, Aragón G, Martínez I, Prieto M. Do gypsophile lichens exist? Analysis of the affinity for the gypsum substrate of lichen species from Spain. *Journal of Arid Environments*. 2024;224. DOI:10.1016/j.jaridenv.2024.105216
113. Nersezashvili M, Skalicka-Woźniak K, Berashvili D. Phytochemical and Pharmaceutical Characterization of *Seseli* L. Species From Georgia. *Acta Poloniae Pharmaceutica - Drug Research*. 2024;81(1):35-51. DOI:10.32383/appdr/185727
114. Nilsson R, Jansson A, Wurzbacher C, Anslan S, Belford P, Corcoll N, et al. 20 years of bibliometric data illustrates a lack of concordance between journal impact factor and fungal species discovery in systematic mycology. *MycKeys*. 2024.
115. Noori S, Hofmann A, Rödder D, Husemann M, Rajaei H. A window to the future: effects of climate change on the distribution patterns of Iranian *Zygaenidae* and their host plants. *Biodiversity and Conservation*. 2024. DOI:10.1007/s10531-023-02760-2
116. Oldoni D, Groom Q, Adriaens T, Hillaert J, Reyserhove L, Strubbe D, et al. Occurrence cubes at species level for European countries. *Zenodo*2024.
117. Oliveira U, Azevedo F, Dias A, de Almeida ACS, Senna AR, Marques AC, et al. Beta diversity and regionalization of the western Atlantic marine biota. *Journal of Biogeography*. 2024;51(8):1469-80. DOI:10.1111/jbi.14837
118. Oliver EGH, Forshaw N, Oliver IM, Volk F, Schumann AWS, Dorr LJ, et al. *Genus Erica*: An identification aid version 4.00. *PhytoKeys*. 2024;241:143-54. DOI:10.3897/phytokeys.241.117604
119. Omer A, Essl F, Dullinger S, Lenzner B, García-Rodríguez A, Moser D, et al. Invasion risk of the currently cultivated alien flora in southern Africa is predicted to decline under climate change. *Ecography*. 2024;2024(6). DOI:10.1111/ecog.07010
120. Ondo I, Dhanjal-Adams KL, Pironon S, Silvestro D, Colli-Silva M, Deklerck V, et al. Plant diversity darkspots for global collection priorities. *New Phytol*. 2024;244(2):719-33. DOI:10.1111/nph.20024

121. Ovaskainen O, Abrego N, Furneaux B, Hardwick B, Somervuo P, Palorinne I, et al. Global Spore Sampling Project: A global, standardized dataset of airborne fungal DNA. *Sci Data*. 2024;11(1):561. DOI:10.1038/s41597-024-03410-0
122. Panwar GS, Kumar P, Bhandari A, Srivast A, Mao AA. Integration of ex-situ multiplication approaches with in-situ conservation of *Gentiana kurroo* through reintroduction and recovery programs: a critically endangered and endemic species of the North-West Himalaya. *Research Square*. 2024. DOI:10.21203/rs.3.rs-4253275/v1
123. Paquette HA, McMullin RT, Wiersma YF. The importance of taxonomy for determining species distribution: a case study using the disjunct lichen *Brodoa oroarctica*. *Botany*. 2024;102(1):10-8. DOI:10.1139/cjb-2023-0096
124. Perez-Escobar OA, Bogarin D, Przelomska NAS, Ackerman JD, Balbuena JA, Bellot S, et al. The origin and speciation of orchids. *New Phytol*. 2024;242(2):700-16. DOI:10.1111/nph.19580
125. Perring M, Rowe E, Arrigoni E, Bidartondo M, Britton A, Field C, et al. Scoping future research for air pollution recovery indicators (APRI). (Workshop report). 2024. Report No.: 0963-8091.
126. Petrocelli I, Alzate A, Zizka A, Onstein RE. Dispersal-related plant traits are associated with range size in the Atlantic Forest. *Diversity and Distributions*. 2024;30(7). DOI:10.1111/ddi.13856
127. Pirie MD, Bellstedt DU, Bouman RW, Fagundes J, Gehrke B, Kandziora M, et al. Spatial decoupling of taxon richness, phylogenetic diversity and threat status in the megagenus *Erica* (Ericaceae). *PhytoKeys*. 2024;244:127-50. DOI:10.3897/phytokeys.244.124565
128. Pironon S, Ondo I, Diazgranados M, Allkin R, Baquero A, Cámara-Leret R, et al. The global distribution of plants used by humans. *Science*. 2024;383(6680):293-7.
129. Pitman N. Natural history specimens collected and/or identified and deposited (by Nigel Pitman). Zenodo2024.
130. Prydiuk MP, Safina NV. The first record of *Arrhenia chlorocyanea* (Hygrophoraceae) in Ukraine. *Ukrainian Botanical Journal*. 2024;81(1):36-9. DOI:10.15407/ukrbotj81.01.036
131. Putra AR, Hodgins KA, Fournier-Level A. Assessing the invasive potential of different source populations of ragweed (*Ambrosia artemisiifolia* L.) through genomically informed species distribution modelling. *Evol Appl*. 2024;17(1):e13632. DOI:10.1111/eva.13632
132. Raggi L, Zucchini C, Sayde E, Gigante D, Negri V. Priority areas for the establishment of genetic reserves to actively protect key crop wild relative species in Italy. *Global Ecology and Conservation*. 2024;50. DOI:10.1016/j.gecco.2024.e02836
133. Randelovic D, Jakovljevic K, Sinzar-Sekulic J, Kuzmic F, Silc U. Recognising the role of ruderal species in restoration of degraded lands. *Sci Total Environ*. 2024;938:173104. DOI:10.1016/j.scitotenv.2024.173104
134. Reichgelt T. Linking the macroclimatic niche of native lithophytic ferns and their prevalence in urban environments. *Am J Bot*. 2024;111(7):e16364. DOI:10.1002/ajb2.16364
135. Ridet-Lagorce J-P. DIFFERENCES ON THE IMPACTS AND ORIGINS OF POLLEN IN FOUR MAJOR SWEDISH CITIES BETWEEN 2014 AND 2019. 2024.
136. Riera M, Pino J, Sáez L, Aymerich P, Melero Y. Effect of introduction pathways on the invasion success of non-native plants along environmental gradients. *Biological Invasions*. 2024;26(5):1561-80. DOI:10.1007/s10530-024-03270-0
137. Robbe E, Rogge L, Lesutiene J, Bucas M, Schernewski G. Assessment of Ecosystem Services Provided by Macrophytes in Southern Baltic and Southern Mediterranean Coastal Lagoons. *Environ Manage*. 2024;74(2):206-29. DOI:10.1007/s00267-024-01955-9
138. Ruprecht E, Essl F, Moř CA, Balaji B, Kuhn T, Fenesi A, et al. Ecological attributes promoting intra-continental range-expansion of a native annual forb triggered by intensified land-use. *Flora*. 2024;310. DOI:10.1016/j.flora.2023.152416
139. Samartza I, Tsballa A, Sakellariou M, Mahnev P, Tsiropidis I, Krigas N, et al. Taxonomic and molecular characterization of 15 wild-growing tulip species of Greece using the internal transcribed spacer (ITS) nuclear marker in combination with the psb A-trn H and trn L/trn F plastid markers. *Biotechnology & Biotechnological Equipment*. 2024;38(1):2337694.
140. Sambou M, Koné B, Sane S, Vodounnon MEJ, Diatta AA, Diatta L, et al. Impact of climate change on the habitat range and distribution of *Cordyla pinnata*, *Faidherbia albida* and *Balanites aegyptiaca* in Senegal. *Modeling Earth Systems and Environment*. 2024;10(3):3137-55. DOI:10.1007/s40808-023-01935-8
141. Santa-Ceballos JP, Restrepo-Riaño MA, Montoya JI, Giraldo JA, Serna-González M, Urrego Giraldo LE. Variables ambientales asociadas a la distribución de dos especies de *Magnolia* (Magnoliaceae) de los Andes colombianos. *Acta Botanica Mexicana*. 2024(131). DOI:10.21829/abm131.2024.2287
142. Schoonemann J, Nagelkerke J, Seuntjens TG, Osinga N, van Liere D. Applying XGBoost and SHAP to Open Source Data to Identify Key Drivers and Predict Likelihood of Wolf Pair Presence. *Environ Manage*. 2024;73(5):1072-87. DOI:10.1007/s00267-024-01941-1
143. Schoutteten N, Yurkov A, Spirin V, Savchenko A, Aime M, Begerow D, et al. Examination of mycoparasites reveals a new type of host-parasite interface and rearranges the taxonomy of *Occultifur* and *Microsporomyces* (Cystobasidiomycetes, Basidiomycota). *Studies in Mycology*. 2024.
144. Seebens H, Niamir A, Essl F, Garnett ST, Kumagai JA, Molnár Z, et al. Biological invasions on Indigenous peoples' lands. *Nature Sustainability*. 2024;7(6):737-46. DOI:10.1038/s41893-024-01361-3

145. Serra-Diaz JM, Borderieux J, Maitner B, Boonman CCF, Park D, Guo WY, et al. occTest: An integrated approach for quality control of species occurrence data. *Global Ecology and Biogeography*. 2024;33(7). DOI:10.1111/geb.13847
146. Shaik Z, Verboom GA, Oxelman B, Bergh NG. Revision of *Seriphium plumosum* (Gnaphalieae: Asteraceae) in southern Africa with description of new species in *Seriphium*. *South African Journal of Botany*. 2024;165:367-83.
147. Shen T, Li N, Liu SJ, Yu CL, Zhang CQ, Yang K, et al. Fast prototype and rapid construction of three-dimensional and multi-scaled pitcher for controlled drainage by systematic biomimicry. *International Journal of Extreme Manufacturing*. 2024;6(3). DOI:ARTN 035502
10.1088/2631-7990/ad2cde
148. Simbaña W, Tye A, Motley TJ, Eliasson U. TAXONOMIC STATUS, DISTRIBUTION AND CONSERVATION OF THE CRITICALLY ENDANGERED PLANT *PSYCHOTRIA ANGUSTATA* (RUBIACEAE), ENDEMIC TO FLOREANA ISLAND, GALAPAGOS. *Darwiniana*. 2024.
149. Simbaña W, Tye A, Motley TJ, Eliasson U. Estado taxonómico, distribución y conservación de la planta en peligro crítico *Psychotria angustata* (Rubiaceae), endémica de la isla Floreana, Galápagos. *Darwiniana, nueva serie*. 2024:204-19.
150. Simpson HJ, Andrew C, Skrede I, Kauserud H, Schilling JS. Global field collection data confirm an affinity of brown rot fungi for coniferous habitats and substrates. *New Phytol*. 2024;242(6):2775-86. DOI:10.1111/nph.19723
151. Sokoloff DD, Degtjareva GV, Skaptsov MV, Vislobokov NA, Kirejtshuk AG, Sennikov AN, et al. Diploids and tetraploids of *Acorus* (Acoraceae) in temperate Asia are pseudocryptic species with clear differences in micromorphology, DNA sequences and distribution patterns, but shared pollination biology. *Taxon*. 2024;73(3):718-61. DOI:10.1002/tax.13173
152. Souza Y, Salvador J, Wijas B. The first record of the Uniform-Finch (*Haplospiza unicolor* Cabanis, 1851) in the Cerrado and Center-West of Brazil. *Research Square*. 2024. DOI:10.21203/rs.3.rs-4822334/v1
153. Speed JDM, Pertierra LR, Westergaard KB. The potential area of occupancy of non-native plants across a warming high-Arctic archipelago: Implications for strategic biosecurity management. *NeoBiota*. 2024;93:157-75. DOI:10.3897/neobiota.93.114854
154. Spillias S. The Global Benefits of Large-Scale Seaweed Farming. 2024.
155. Spirin V, Runnel K, Vlasák J, Viner I, Barrett M, Ryvarden L, et al. The genus *Fomitopsis* (Polyporales, Basidiomycota) reconsidered. *Studies in mycology*. 2024;107(1):149-249.
156. Stinziano JR, Charron A, Damus M. Beyond a diagnostic tool: Validating standardized Mahalanobis distance as a species distribution model for invasive alien species in North America. *bioRxiv*. 2024. DOI:10.1101/2024.04.30.591852
157. Stolsmo SP, Lindberg CL, Ween RE, Schat L, Preston JC, Humphreys AM, et al. Evolution of drought and frost responses in cool season grasses (Pooideae): was drought tolerance a precursor to frost tolerance? *J Exp Bot*. 2024. DOI:10.1093/jxb/erae316
158. Sun YQ, Zhang YY, Liu MC, Chen JJ, Li TT, Liu YN, et al. Mapping the distribution of Nipah virus infections: a geospatial modelling analysis. *Lancet Planet Health*. 2024;8(7):e463-e75. DOI:10.1016/S2542-5196(24)00119-0
159. Svantesson S, Larsson E, Larsson KH, Parfitt D, Suz LM, Ainsworth AM. The genus *Phellodon* (Thelephorales, Basidiomycota) in Europe: Four new species, one new combination, four new typifications and a first European record. *Fungal Systematics and Evolution*. 2024;15:1-45. DOI:10.3114/fuse.2025.15.01
160. Tabo Z, Breuer L, Fabia C, Samuel G, Albrecht C. A machine learning approach for modeling the occurrence of the major intermediate hosts for schistosomiasis in East Africa. *Sci Rep*. 2024;14(1):4274. DOI:10.1038/s41598-024-54699-1
161. Trájer AJ. Reconstruction of palaeoenvironmental conditions that led to the formation of Eocene sub-bituminous coal seams in the Hungarian Paleogene Basin. *Review of Palaeobotany and Palynology*. 2024;323. DOI:10.1016/j.revpalbo.2024.105080
162. Trethowan LA, Jennings L, Bramley G, Briggs M, Clark R, Dawson S, et al. Island area, isolation and climate effects upon flower traits in a megadiverse archipelago. *Journal of Biogeography*. 2024;51(9):1659-69. DOI:https://doi.org/10.1111/jbi.14751
163. Ulloa Ulloa C, Oleas NH, . in (eds). 53. Berberidaceae. In: Persson C, Eriksson R, Romoleroux K, Ståhl B, editors. *Flora of Ecuador 98*. Göteborg: Department of Biological and Environmental Sciences; 2024.
164. Ulsted TH. Horizon scanning of potential new alien vascular plant species and their climatic niche in the Arctic 2024.
165. Valdamarin K, Maruyama A, Lima A, Souza V, Mazine F. *Eugenia stenocarpa* (Myrtaceae), a new species from the Atlantic Forest of São Paulo, Brazil, with a remarkable fruit. *Edinburgh Journal of Botany*. 2024;81(1945):1-12. DOI:10.24823/EJB.2024.1945.
166. vanDeurs S, Reutimann O, Luqman H, Lifshitz D, Gati EM, Alexander J, et al. Adaptation across a precipitation gradient from niche center to niche edge. *bioRxiv*. 2024. DOI:10.1101/2024.04.15.589238
167. Viner I, Larsson K-H, Spirin V, Langer E, Miettinen O. Revision of *Kneiffiella* with segregation of *Egonia* gen. nov. (Hymenochaetales, Agaricomycetes): how similar morphology can hide taxonomic diversity in the molecular era. *Personia-Molecular Phylogeny and Evolution of Fungi*. 2024.
168. Voitk A, Saar I, Burzynski M, Corriol G. 2024. The *Arrhenia peltigerina* complex—preliminary report. *Botany* 102 (6): 248-267. <https://doi.org/10.1139/cjb-2023-0138>

169. Walentowitz A, Ferreira-Arruda T, Irl SDH, Kreft H, Beierkuhnlein C. Disentangling natural and anthropogenic drivers of native and non-native plant diversity on North Sea islands. *Journal of Biogeography*. 2024;51(3):337-49. DOI:10.1111/jbi.14753
170. Wang Y, Wang H, Ye C, Wang Z, Ma C, Lin D, et al. Progress in systematics and biogeography of Orchidaceae. *Plant Divers*. 2024;46(4):425-34. DOI:10.1016/j.pld.2024.05.002
171. Weiss RM, Zanetti F, Alberghini B, Puttick D, Vankosky MA, Monti A, et al. Bioclimatic analysis of potential worldwide production of spring-type camelina [(L.) Crantz] seeded in the spring. *Global Change Biology Bioenergy*. 2024;16(2). DOI:ARTN e13126
10.1111/gcbb.13126
172. Weissman M, Zhang D, Kartzinel R, Weinreich D. Balancing the risks of mating: biogeographic evidence of cleistogamy as a bet hedging strategy. *bioRxiv*. 2024. DOI:10.1101/2024.03.28.587200
173. Werchan M, Werchan B, Bogawski P, Mousavi F, Metz M, Bergmann KC. An emerging aeroallergen in Europe: Tree-of-Heaven (*Ailanthus altissima* [Mill.] Swingle) inventory and pollen concentrations - Taking a metropolitan region in Germany as an example. *Sci Total Environ*. 2024;930:172519. DOI:10.1016/j.scitotenv.2024.172519
- 174.. White DM, Pitman NCA, Feeley KJ, Rivas-Torres G, Bravo-Sanchez S, Sanchez-Parrales F, et al. Refuting the hypothesis of Centinela extinction at its place of origin. *Nat Plants*. 2024. DOI:10.1038/s41477-024-01832-7
175. Wieners M, Thines M, Scholler M. Hidden treasures—historical specimens from the late blight pandemic discovered in the Herbarium of the State Museum of Natural History Karlsruhe. *Journal of Plant Diseases and Protection*. 2024;131(3):1113-9. DOI:10.1007/s41348-024-00907-z
176. Wood JR, Hoyos-Gómez SE, Zarate DEG. A glimpse into the diversity of Colombian Acanthaceae. *Kew Bulletin*. 2024;1:1-39.
177. Worth JRP, Kikuchi S, Kanetani S, Takahashi D, Aizawa M, Marchuk EA, et al. Chloroplast genome-based genetic resources via genome skimming for the subalpine forests of Japan and adjacent regions. *Ecol Evol*. 2024;14(7):e11584. DOI:10.1002/ece3.11584
178. Woudstra Y, Rees P, Rakotoarisoa SE, Roensted N, Howard C, Grace OM. An updated DNA barcoding tool for *Aloe vera* and related CITES-regulated species. *bioRxiv*. 2024:2024.07. 09.602761.
179. Wuttke M, Poschmann MJ, Wappler T, Bouchal JM, Geier C, Ulrich S, et al. Pollen-feeding in a giant pelobatid tadpole from the late Oligocene of Enspel, Germany. *Palaeobiodiversity and Palaeoenvironments*. 2024. DOI:10.1007/s12549-024-00603-8
180. Wysocki A, Wierzcholska S, Prockow J, Konowalik K. Host tree availability shapes potential distribution of a target epiphytic moss species more than direct climate effects. *Sci Rep*. 2024;14(1):18388. DOI:10.1038/s41598-024-69041-y
181. Xu QL, Wang X, Yi JH, Wang Y. Bias correction in species distribution models based on geographic and environmental characteristics. *Ecological Informatics*. 2024;81. DOI:ARTN 102604
10.1016/j.ecoinf.2024.102604
182. Yanez-Munoz MH, Jarrin VP, Brito MJ, Roman-Rr R, Astorquiza JM, Baca AE, et al. The Tropical Andes Biodiversity Hotspot: A Comprehensive Dataset for the Mira-Mataje Binational Basins. *Sci Data*. 2024;11(1):782. DOI:10.1038/s41597-024-03463-1
183. Yáñez-Muñoz MH, Jarrín-V P, Brito M J, Román-Rr R, Astorquiza JM, Baca AE, et al. The Tropical Andes Biodiversity Hotspot: A Comprehensive Dataset for the Mira-Mataje Binational Basins. *Scientific Data*. 2024;11(1):782.